

## Recombinant Human PAICS 293 Cell Lysate

Cat. No. PAICS-3461HCL Lot. No. (See product label)

### SPECIFICATION

<b>Species</b>	Human
<b>Source</b>	HEK293
<b>Description</b>	Antigen standard for phosphoribosylaminoimidazole carboxylase, phosphoribosylaminoimidazole succinocarboxamide synthetase (PAICS), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
<b>Components</b>	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
<b>Size</b>	0.1 mg
<b>Storage Instruction</b>	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
<b>Applications</b>	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

## GENE INFORMATION

<b>Gene Name</b>	PAICS phosphoribosylaminoimidazole carboxylase, phosphoribosylaminoimidazole succinocarboxamide synthetase [ Homo sapiens ]
<b>Official Symbol</b>	PAICS
<b>Synonyms</b>	PAICS; phosphoribosylaminoimidazole carboxylase, phosphoribosylaminoimidazole succinocarboxamide synthetase; PAIS; multifunctional protein ADE2; ADE2H1; AIRC; AIR carboxylase; SAICAR synthetase; multifunctional protein ADE2H1; ADE2; MGC1343; MGC5024; DKFZp781N1372;
<b>Gene ID</b>	<a href="#">10606</a>
<b>mRNA Refseq</b>	<a href="#">NM_001079524</a>
<b>Protein Refseq</b>	<a href="#">NP_001072992</a>
<b>MIM</b>	<a href="#">172439</a>
<b>UniProt ID</b>	<a href="#">P22234</a>
<b>Chromosome Location</b>	4q12
<b>Pathway</b>	Inosine monophosphate biosynthesis, PRPP + glutamine =>IMP, organism-specific biosystem; Inosine monophosphate biosynthesis, PRPP + glutamine => IMP, conserved biosystem; Metabolic pathways, organism-specific biosystem; Metabolism,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



organism-specific biosystem; Metabolism of nucleotides, organism-specific biosystem;

**Function**

5-(carboxyamino)imidazole ribonucleotide mutase activity; ATP binding; identical protein binding; ligase activity; lyase activity; nucleotide binding; phosphoribosylaminoimidazole carboxylase activity; phosphoribosylaminoimidazolesuccinocarboxamide synthase activity; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA