

Recombinant Human PAM 293 Cell Lysate

Cat. No. PAM-3448HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for peptidylglycine alpha-amidating monooxygenase (PAM), transcript variant 3 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	PAM peptidylglycine alpha-amidating monooxygenase [Homo sapiens]
Official Symbol	PAM
Synonyms	PAM; peptidylglycine alpha-amidating monooxygenase; peptidyl-glycine alpha-amidating monooxygenase; PAL; peptidyl alpha hydroxyglycine alpha amidating lyase; peptidylglycine alpha hydroxylating monooxygenase; PHM; peptidylamidoglycolate lyase; peptidylglycine 2-hydroxylase; peptidyl alpha-amidating enzyme; peptidylglycine alpha-hydroxylating monooxygenase; peptidyl-alpha-hydroxyglycine alpha-amidating lyase; pancreatic peptidylglycine alpha-amidating monooxygenase;
Gene ID	5066
mRNA Refseq	NM_000919
Protein Refseq	NP_000910
MIM	170270
UniProt ID	P19021
Chromosome Location	5q
Function	L-ascorbic acid binding; copper ion binding; lyase activity; metal ion binding; peptidylamidoglycolate lyase activity; peptidylglycine monooxygenase activity; protein

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA