

Recombinant Cynomolgus monkey PCSK9 Protein, His-tagged

Cat. No. PCSK9-405C Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Cynomolgus monkey PCSK9 protein with His tag was expressed in HEK293.
Species	Cynomolgus
Source	HEK293
ProteinLength	692
Description	This gene encodes a member of the subtilisin-like proprotein convertase family, which includes proteases that process protein and peptide precursors trafficking through regulated or constitutive branches of the secretory pathway. The encoded protein undergoes an autocatalytic processing event with its prosegment in the ER and is constitutively secreted as an inactive protease into the extracellular matrix and trans-Golgi network. It is expressed in liver, intestine and kidney tissues and escorts specific receptors for lysosomal degradation. It plays a role in cholesterol and fatty acid metabolism. Mutations in this gene have been associated with autosomal dominant familial hypercholesterolemia. Alternative splicing results in multiple transcript variants.
Form	Lyophilized
Molecular Mass	73.2 kDa
AA Sequence	MGTVSSRRSWWPLPLPLLLLLLLLLGPAGARAQEDDGDYEELVLALRSEEDGLADAP

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

EHGATATFHRCADPWRLPGTYVVVLKEETHRSQSERTARRLQAQAARRGYLTKIL
 HVFHLLPGFLVKMSGDLLELALKLPHVDYIEEDSSVFAQSIPWNLERITPARYRADE
 YQPPKGGSLVEVYLLDTSIQSDHREIEGRVMVTDVFESVPEEDGTRFHRQASKCDSH
 GTHLAGVVSGRDAGVAKGAGLRSLRVLNQCQKGTVSGTLIGLEFIRKSQLVQPVGP
 LVVLLPLAGGYSRVFNAACQRLARAGVVLVTAAGNFRDDACLYSPASAPEVITVGAT
 NAQDQPVTLGTLGTFNGRCVDLFPAGEDIIIGASSDCSTCFVSRSGTSQAAAHVAGIA
 AMMLSAEPELTLAELRQRLIHFSKDVINEAWFPEDQRVLT PNLVAALPPSTHRAGW
 QLFCRTVWSAHS GPTRMATAVARCAQDEELLSCSSF SRSGKRRGERIEAQQGKRV
 CRAHNAFGGEGVYAIARCCLLPQVNCSVHTAPPAGASMGTRVHCHQQGHVLTGCS
 SHWEVEDLGTHKPPVLRPRGQPNQCVGHREASIHASCCHAPGLECKVKEHGIPAP
 QEQVIVACEDGWTLTGCSALPGTSHVLGAYAVDNTCVVRSRDVSTTGSTSEEAVAA
 VAICCRSRHLVQASQELQ

Purity > 98%

Applications WB; ELISA; FACS; FC

Stability This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.

Storage At -20 centigrade.

Concentration 1 mg/mL

Storage Buffer PBS (pH 7.4-7.5). Sterile-filtered colorless solution.

Reconstitution Reconstitute in sterile distilled H₂O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

performance.

GENE INFORMATION

Gene Name	PCSK9 proprotein convertase subtilisin/kexin type 9 [Macaca mulatta (Rhesus monkey)]
Official Symbol	PCSK9
Synonyms	PCSK9; proprotein convertase subtilisin/kexin type 9; proprotein convertase 9; proprotein convertase PC9; subtilisin/kexin-like protease PC9; proprotein convertase subtilisin/kexin type 9 preproprotein; PC9;
Gene ID	717147
mRNA Refseq	NM_001112660
Protein Refseq	NP_001106130
UniProt ID	A8T666

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA