

Recombinant Human PDGFRB

Cat. No. PDGFRB-1675H Lot. No. (See product label)

SPECIFICATION

Product Overview Recombinant Human platelet-derived growth factor receptor, beta polypeptide was expressed in *NSO Cells*. The DNA sequence encoding the extracellular domain of human PDGF R β (aa residues 1 - 530) was fused to the Fc region of human IgG1 (containing ENIEGR added at the amino-terminus and 6 histidine residues added at the carboxy-terminus of the IgG1).

Species Human

Source Mammalian Cells

ProteinLength 1-530 a.a.

Description Platelet-derived growth factor receptor- β (PDGFR β) is a well-characterized plasma membrane receptor with endogenous tyrosine kinase activity, which is autophosphorylated in response to binding of dimeric platelet-derived growth factor (PDGF) ligand. PDGFR β mediates signaling important for the proliferation, migration, and survival of mesenchymal cells. PDGFR β is found in all cell types and is activated in breast carcinoma cells and indicate a possible role of the receptor in breast cancerogenesis.

Molecular Weight The predicted molecular weight of Recombinant Human PDGF R β is 84 kDa. However, the actual molecular weight as observed by migration on SDS Page is 150 kDa.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

State Of Matter	Lyophilized.
Formulation	0.2 µm filtered and lyophilized from PBS.
Purity	>97% by SDS Page and analyzed by silver stain.
Endotoxin	<1.0 EU/g as determined by the LAL method.
Biological Activity	The biological activity of Human PDGF R β was determined by its ability to inhibit the PDGF-BB induced 3H-thymidine incorporation in the NR6R-3T3 fibroblast cell-line (Raines, E.W. et al., 1985, Methods Enzymol. 109:749). The ED50 for this effect is typically 1 - 3 µg/ml in the presence of 4 ng/ml rhPDGF-BB.
Storage	This lyophilized protein is stable for six to twelve months when stored desiccated at -20°C to -70°C. After aseptic reconstitution, this protein may be stored at 2°C to 8°C for one month or at -20°C to -70°C in a manual defrost freezer. Avoid Repeated Freeze Thaw Cycles. See Product Insert for exact lot specific storage instructions.

GENE INFORMATION

Gene Name	PDGFRB platelet-derived growth factor receptor, beta polypeptide [Homo sapiens]
Synonyms	PDGFRB; platelet-derived growth factor receptor, beta polypeptide; JTK12; PDGFR; CD140B; PDGFR1; platelet-derived growth factor receptor beta; PDGF-R-beta; CD140 antigen-like family member B; EC 2.7.10.1; CD140b; PDGF-R-beta; CD140b antigen; soluble PDGFRb variant 1
Gene ID	5159

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq	NM_002609
Protein Refseq	NP_002600
MIM	173410
UniProt ID	P09619
Chromosome Location	5q33.1
Pathway	Calcium signaling pathway; Colorectal cancer; Cytokine-cytokine receptor interaction; Focal adhesion; Gap junction; Glioma; MAPK signaling pathway; Melanoma; Pathways in cancer; Prostate cancer; Regulation of actin cytoskeleton
Function	ATP binding; nucleotide binding; platelet activating factor receptor activity; platelet-derived growth factor beta-receptor activity; platelet-derived growth factor receptor binding; receptor activity; transferase activity; vascular endothelial growth factor receptor activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA