

Recombinant Human PDIA4 Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. PDIA4-3929H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	PDIA4 MS Standard C13 and N15-labeled recombinant protein (NP_004902) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	This gene encodes a member of the disulfide isomerase (PDI) family of endoplasmic reticulum (ER) proteins that catalyze protein folding and thiol-disulfide interchange reactions. The encoded protein has an N-terminal ER-signal sequence, three catalytically active thioredoxin (TRX) domains, two TRX-like domains and a C-terminal ER-retention sequence. This protein, when bound to cyclophilin B, enhances the rate of immunoglobulin G intermolecular disulfide bonding and antibody assembly.
Molecular Mass	72.9 kDa
AA Sequence	MRPRKAFLLLLLLGLVQLLAVAGAEGPDEDSSNRENAIEDEEEEEEDDDEEEDDLE VKEENGVLVLNDANFDNFVADKDTVLLEFYAPWCGHCKQFAPEYEKIANILKDKDPP IPVAKIDATSASVLASRFDVSGYPTIKILKKGQAVDYEGSRTQEEIVAKVREVSQPDW TPPPEVTLVLTKENFDEVVNDADIILVEFYAPWCGHCKKLAPYEKAAKELSKRSPPI PLAKVDATAETDLAKRFDVSGYPTLKIFRKG RPYDYNGPREKYGIVDYMIEQSGPPS KEILTLKQVQEFLKDGDDVIIIIGVFKGESDPAYQQYQDAANNLREDDYKFHHTFSTEIA KFLKVSQGQLVVMQPEKFQSKYEPRSHMMDVQGSTQDSAIFVFLKYALPLVGH

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

KVSNDAKRYTRRPLVVVYYSVDFSFYRAATQFWRSKVLEVAKDFPEYTFIAI DEED
 YAGEVKDLGLSESGEDVNAAILDESGKKFAMEPEEFDSDTLREFVTAFFKKGKLPVI
 KSQPVPKNNKGPVKVVVGKTFDSIVMDPKKDVLIIFYAPWCGHCKQLEPVYNSLAK
 KYKGQKGLVIAKMDATANDVPSDRYKVEGFPTIYFAPSGDKKNPVKFEGGDRDLEH
 LSKFIEEHATKLSRTKEELTRTRPLEQKLISEEDLAANDILDYKDDDDKV

Purity > 80% as determined by SDS-PAGE and Coomassie blue staining

Stability Stable for 3 months from receipt of products under proper storage and handling conditions.

Storage Store at -80 centigrade. Avoid repeated freeze-thaw cycles.

Concentration 50 µg/mL as determined by BCA

Storage Buffer 100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION

Gene Name PDIA4 protein disulfide isomerase family A member 4 [Homo sapiens (human)]

Official Symbol PDIA4

Synonyms PDIA4; protein disulfide isomerase family A, member 4; protein disulfide isomerase associated 4; protein disulfide-isomerase A4; ERP70; ERP72; ER protein 70; ER protein 72; protein disulfide isomerase-associated 4; endoplasmic reticulum resident protein 70; endoplasmic reticulum resident protein 72; protein disulfide isomerase related protein (calcium-binding protein, intestinal-related); ERp-72;

Gene ID 9601

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq [NM_004911](#)

Protein Refseq [NP_004902](#)

UniProt ID [P13667](#)

SDS-PAGE



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA