

Recombinant Human PHYH 293 Cell Lysate

Cat. No. PHYH-3214HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for phytanoyl-CoA 2-hydroxylase (PHYH), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	PHYH phytanoyl-CoA 2-hydroxylase [Homo sapiens]
Official Symbol	PHYH
Synonyms	PHYH; phytanoyl-CoA 2-hydroxylase; phytanoyl CoA hydroxylase , phytanoyl CoA hydroxylase (Refsum disease); phytanoyl-CoA dioxygenase, peroxisomal; PAHX; PHYH1; phytanoyl CoA dioxygenase; RD; Refsum disease; phytanic acid oxidase; phytanoil-CoA alpha hydroxylase; phytanoyl-CoA alpha-hydroxylase; phytanoyl-CoA 2 oxoglutarate dioxygenase; LN1; LNAP1;
Gene ID	5264
mRNA Refseq	NM_001037537
Protein Refseq	NP_001032626
MIM	602026
UniProt ID	O14832
Chromosome Location	10p13
Pathway	Alpha-oxidation of phytanate, organism-specific biosystem; Metabolism, organism-specific biosystem; Metabolism of lipids and lipoproteins, organism-specific biosystem; Peroxisomal lipid metabolism, organism-specific biosystem; Peroxisome, organism-specific biosystem; Peroxisome, conserved biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

L-ascorbic acid binding; cofactor binding; electron carrier activity; metal ion binding; oxidoreductase activity; oxidoreductase activity, acting on single donors with incorporation of molecular oxygen, incorporation of two atoms of oxygen; phytanoyl-CoA dioxygenase activity; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA