

Recombinant Human PIAS3 293 Cell Lysate

Cat. No. PIAS3-3202HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for protein inhibitor of activated STAT, 3 (PIAS3) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	PIAS3 protein inhibitor of activated STAT, 3 [Homo sapiens]
Official Symbol	PIAS3
Synonyms	PIAS3; protein inhibitor of activated STAT, 3; E3 SUMO-protein ligase PIAS3; FLJ14651; zinc finger; MIZ type containing 5; ZMIZ5; zinc finger, MIZ-type containing 5; protein inhibitor of activated STAT protein 3;
Gene ID	10401
mRNA Refseq	NM_006099
Protein Refseq	NP_006090
MIM	605987
UniProt ID	Q9Y6X2
Chromosome Location	1q21
Pathway	Androgen Receptor Signaling Pathway, organism-specific biosystem; C-MYB transcription factor network, organism-specific biosystem; Coregulation of Androgen receptor activity, organism-specific biosystem; Hepatitis C, organism-specific biosystem; Hepatitis C, conserved biosystem; IL6-mediated signaling events, organism-specific biosystem; Jak-STAT signaling pathway, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

SUMO ligase activity; enzyme binding; ligase activity; metal ion binding; nucleic acid binding; potassium channel regulator activity; protein C-terminus binding; protein N-terminus binding; protein binding; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA