

## Active Recombinant Human PIK3CB/PIK3R2 protein, His-tagged

**Cat. No.** PIK3CB&PIK3R2-156H    **Lot. No.** (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant full-length human p110 beta and human p85 beta were co-expressed by baculovirus in Sf9 insect cells using an N-terminal His tag on both proteins.
<b>Species</b>	Human
<b>Source</b>	Insect Cells
<b>Description</b>	PI3K phosphorylate the 3-prime OH position of the inositol ring of inositol lipids which functions in signaling pathways that regulate cell growth by virtue of their activation in response to various mitogenic stimuli. PI3Ks are composed of a 110-kDa catalytic subunit and an 85-kDa adaptor subunit. PI3K plays a critical role in regulating the formation and stability of alpha-2B-beta-3 integrin adhesion bonds, which are necessary for shear force-induced platelet activation. PI3K sustains alpha-2B-beta-3 integrin activation and stabilized platelet aggregation by regulating both integrin-dependent calcium flux and Gi activation of RAP1B.
<b>Form</b>	50mM sodium phosphate, pH 7.0, 300mM NaCl, 150mM imidazole, 0.1mM PMSF, 0.25mM DTT, 25% glycerol.
<b>Bio-activity</b>	320 nmol/min/mg
<b>Molecular Mass</b>	p110beta ~111 kDa and p85beta ~88 kDa
<b>Purity</b>	>90%

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Applications</b>	Kinase Assay
<b>Stability</b>	1 year at -70 centigrade from the date of shipment
<b>Storage</b>	Store product at -70 centigrade. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.
<b>Concentration</b>	0.1 µg/µl


## GENE INFORMATION

<b>Gene Name</b>	PIK3CB phosphoinositide-3-kinase, catalytic, beta polypeptide [ Homo sapiens ]
<b>Official Symbol</b>	PIK3CB
<b>Synonyms</b>	PIK3CB; phosphoinositide-3-kinase, catalytic, beta polypeptide; PIK3C1; phosphatidylinositol-4,5-bisphosphate 3-kinase catalytic subunit beta isoform; PI3K-beta; PtdIns-3-kinase p110; PI3-kinase subunit beta; PI3-kinase p110 subunit beta; ptdIns-3-kinase subunit beta; ptdIns-3-kinase subunit p110-beta; phosphatidylinositol-4,5-bisphosphate 3-kinase 110 kDa catalytic subunit beta; PI3K; P110BETA; PI3KBETA; MGC133043; DKFZp779K1237;
<b>Gene ID</b>	5291
<b>mRNA Refseq</b>	NM_006219
<b>Protein Refseq</b>	NP_006210
<b>MIM</b>	602925

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>UniProt ID</b>	P42338
<b>Chromosome Location</b>	3q21-qter
<b>Pathway</b>	3-phosphoinositide biosynthesis, organism-specific biosystem; 3-phosphoinositide biosynthesis, conserved biosystem; Acute myeloid leukemia, organism-specific biosystem; Acute myeloid leukemia, conserved biosystem; Adaptive Immune System, organism-specific biosystem; Aldosterone-regulated sodium reabsorption, organism-specific biosystem; Aldosterone-regulated sodium reabsorption, conserved biosystem;
<b>Function</b>	1-phosphatidylinositol-3-kinase activity; ATP binding; binding; insulin receptor substrate binding; nucleotide binding; phosphatidylinositol 3-kinase activity; phosphatidylinositol 3-kinase activity; phosphatidylinositol-4,5-bisphosphate 3-kinase activity; phosphotransferase activity, alcohol group as acceptor;
	

Tel: 1-631-559-9269 1-516-512-3133

Email: [info@creative-biomart.com](mailto:info@creative-biomart.com) Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA