

## Recombinant Human POSTN Protein, His-tagged

Cat. No. POSTN-732H Lot. No. (See product label)

### SPECIFICATION

|                         |  |
|-------------------------|--|
| <b>Product Overview</b> | Recombinant Human POSTN(Pro97~Leu230) fused with His tag at N-terminal was expressed in E. coli.   |
| <b>Species</b>          | Human  |
| <b>Source</b>           | E.coli   |
| <b>ProteinLength</b>    | Pro97~Leu230   |
| <b>Description</b>      | This gene encodes a secreted extracellular matrix protein that functions in tissue development and regeneration, including wound healing, and ventricular remodeling following myocardial infarction. The encoded protein binds to integrins to support adhesion and migration of epithelial cells. This protein plays a role in cancer stem cell maintenance and metastasis. Mice lacking this gene exhibit cardiac valve disease, and skeletal and dental defects. Alternative splicing results in multiple transcript variants encoding different isoforms. |
| <b>Form</b>             | 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.  |
| <b>Molecular Mass</b>   | 16.4kDa  |
| <b>Endotoxin</b>        | <1.0EU per 1g (determined by the LAL method)   |
| <b>Purity</b>           | > 97%  |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

|                       |  |
|-----------------------|--|
| <b>Applications</b>   | Positive Control; Immunogen; SDS-PAGE; WB.<br>If bio-activity of the protein is needed, please check active protein.   |
| <b>Stability</b>      | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| <b>Storage</b>        | Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months.   |
| <b>Reconstitution</b> | Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL.<br>Do not vortex.   |

## GENE INFORMATION

|                        |  |
|------------------------|--|
| <b>Gene Name</b>       | POSTN periostin, osteoblast specific factor [ Homo sapiens ]   |
| <b>Official Symbol</b> | POSTN  |
| <b>Synonyms</b>        | POSTN; periostin, osteoblast specific factor; periostin; OSF 2; PN; periostin isoform thy2; periostin isoform thy4; periostin isoform thy6; periostin isoform thy8; osteoblast-specific factor 2; periodontal ligament-specific periostin; osteoblast specific factor 2 (fasciclin I-like); OSF2; OSF-2; PDLPOSTN; RP11-412K4.1; MGC119510; MGC119511; |
| <b>Gene ID</b>         | 10631  |
| <b>mRNA Refseq</b>     | NM_001135934   |
| <b>Protein Refseq</b>  | NP_001129406   |


 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM 608777

UniProt ID Q15063



 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA