

Recombinant Human PPIA 293 Cell Lysate

Cat. No. PPIA-2975HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for peptidylprolyl isomerase A (cyclophilin A) (PPIA) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	PPIA peptidylprolyl isomerase A (cyclophilin A) [Homo sapiens]
Official Symbol	PPIA
Synonyms	PPIA; peptidylprolyl isomerase A (cyclophilin A); peptidyl-prolyl cis-trans isomerase A; CYPA; PPIase A; rotamase A; cyclophilin; T cell cyclophilin; cyclosporin A-binding protein; CYPH; MGC12404; MGC23397; MGC117158;
Gene ID	5478
mRNA Refseq	NM_021130
Protein Refseq	NP_066953
MIM	123840
UniProt ID	P62937
Chromosome Location	7p13
Pathway	APOBEC3G mediated resistance to HIV-1 infection, organism-specific biosystem; Basigin interactions, organism-specific biosystem; Binding and entry of HIV virion, organism-specific biosystem; Cell surface interactions at the vascular wall, organism-specific biosystem; Disease, organism-specific biosystem; Early Phase of HIV Life Cycle, organism-specific biosystem; HIV Infection, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

isomerase activity; peptide binding; peptidyl-prolyl cis-trans isomerase activity; peptidyl-prolyl cis-trans isomerase activity; protein binding; unfolded protein binding; virion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA