

Recombinant Human PPIA protein, His&Myc-tagged

Cat. No. PPIA-4080H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human PPIA protein(P62937)(1-165aa), fused to N-terminal His tag and C-terminal Myc tag, was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	1-165aa
Form	If the delivery form is liquid, the default storage buffer is Tris/PBS-based buffer, 5%-50% glycerol. If the delivery form is lyophilized powder, the buffer before lyophilization is Tris/PBS-based buffer, 6% Trehalose, pH 8.0.
Molecular Mass	23.0 kDa
AA Sequence	MVNPTVFFDIAVDGEPLGRVSEFELFADKVPKTAENFRALSTGEKGFYKGSCHFRIIP GFMCQGGDFTRHNGTGGKSIYGEKFEDENFILKHTGPGILSMANAGPNTNGSQFFI CTAKTEWLDGKHVVFVKVKEGMNIVEAMERFGSRNGKTSKKITIADCGQLE
Purity	Greater than 85% as determined by SDS-PAGE.
Storage	Store at -20°C/-80°C upon receipt, aliquoting is necessary for mutiple use. Avoid repeated freeze-thaw cycles.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Reconstitution

Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%.

GENE INFORMATION**Gene Name**

PPIA peptidylprolyl isomerase A (cyclophilin A) [Homo sapiens]

Official Symbol

PPIA

Synonyms

PPIA; peptidylprolyl isomerase A (cyclophilin A); peptidyl-prolyl cis-trans isomerase A; CYPA; PPIase A; rotamase A; cyclophilin; T cell cyclophilin; cyclosporin A-binding protein; CYPH; MGC12404; MGC23397; MGC117158;

Gene ID

5478

mRNA Refseq

NM_021130

Protein Refseq

NP_066953

MIM

123840

UniProt ID

P62937

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA