

## Active Recombinant Human PPIA, His tagged

Cat. No. PPIA-8311H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Cyclophilin A Human Recombinant His tag protein produced in E.coli is a single, non-glycosylated, polypeptide chain containing 185 amino acids and having a molecular mass of 20 kDa. PPIase-A is purified by chromatographic techniques.
<b>Species</b>	Human
<b>Source</b>	E.coli
<b>Description</b>	This gene encodes a member of the peptidyl-prolyl cis-trans isomerase (PPIase) family. PPIases catalyze the cis-trans isomerization of proline imidic peptide bonds in oligopeptides and accelerate the folding of proteins. The encoded protein is a cyclosporin binding-protein and may play a role in cyclosporin A-mediated immunosuppression. The protein can also interact with several HIV proteins, including p55 gag, Vpr, and capsid protein, and has been shown to be necessary for the formation of infectious HIV virions. Multiple pseudogenes that map to different chromosomes have been reported.
<b>Form</b>	1 mg/ml solution containing 20 mM Tris 8.0, 20 mM NaCl, 0.5mM DTT and 10% glycerol.
<b>Bio-activity</b>	Specific activity is 200 nmoles/min/ug, and is defined as the amount of enzyme that cleave 1umole of suc-AAFP-pNA per minute at 1C in Tris-Hcl pH8.0 using chymotrypsin.
<b>AA Sequence</b>	MGSSHHHHHH SSGLVPRGSH MVNPTVFFDI AVDGEPLGRV SFELFADKVP

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

KTAENFRALSTGEKGFYKG SCFHRIIPGF MCQGGDFTRH NGTGGKSIYG  
 EK FEDENFIL KHTGPGILSMANAGPNTNGS QFFICTAKTE WLDGKHVVFG  
 KVKEGMNIVE AMERFGSRNG KTSKKITIADCGQLE.

**Purity** Greater than 95.0% as determined by RP-HPLC and analysis by SDS-PAGE

**Notes** For research use only.

**Storage** PPIase-A Human Recombinant although stable at 4 °C for weeks, should be stored desiccated below -18 °C. Please prevent freeze/thaw cycles.

## GENE INFORMATION

**Gene Name** PPIA peptidylprolyl isomerase A (cyclophilin A) [ Homo sapiens ]

**Official Symbol** PPIA

**Synonyms** PPIA; peptidylprolyl isomerase A (cyclophilin A); peptidyl-prolyl cis-trans isomerase A; CYPA; PPIase A; rotamase A; cyclophilin; T cell cyclophilin; cyclosporin A-binding protein; CYPH; MGC12404; MGC23397; MGC117158;

**Gene ID** 5478

**mRNA Refseq** NM\_021130

**Protein Refseq** NP\_066953

**MIM** 123840

**UniProt ID** P62937

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Chromosome  
Location**



7p13

**Pathway**

APOBEC3G mediated resistance to HIV-1 infection, organism-specific biosystem; Basigin interactions, organism-specific biosystem; Binding and entry of HIV virion, organism-specific biosystem; Cell surface interactions at the vascular wall, organism-specific biosystem; Disease, organism-specific biosystem; Early Phase of HIV Life Cycle, organism-specific biosystem; HIV Infection, organism-specific biosystem;

**Function**

isomerase activity; peptide binding; peptidyl-prolyl cis-trans isomerase activity; peptidyl-prolyl cis-trans isomerase activity; protein binding; unfolded protein binding; virion binding;

 Tel: 1-631-559-9269 1-516-512-3133 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA