

Recombinant Human PPP2CA 293 Cell Lysate

Cat. No. PPP2CA-2929HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for protein phosphatase 2 (formerly 2A), catalytic subunit, alpha isoform (PPP2CA) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	PPP2CA protein phosphatase 2, catalytic subunit, alpha isozyme [Homo sapiens]
Official Symbol	PPP2CA
Synonyms	PPP2CA; protein phosphatase 2, catalytic subunit, alpha isozyme; protein phosphatase 2 (formerly 2A), catalytic subunit, alpha isoform; serine/threonine-protein phosphatase 2A catalytic subunit alpha isoform; PP2Calpha; protein phosphatase 2A catalytic subunit; alpha isoform; PP2A-alpha; replication protein C; protein phosphatase 2A catalytic subunit, alpha isoform; serine/threonine protein phosphatase 2A, catalytic subunit, alpha isoform; RP-C; PP2Ac; PP2CA;
Gene ID	5515
mRNA Refseq	NM_002715
Protein Refseq	NP_002706
MIM	176915
UniProt ID	P67775
Chromosome Location	5q31.1
Pathway	Activated TLR4 signalling, organism-specific biosystem; Adaptive Immune System, organism-specific biosystem; Beta-catenin phosphorylation cascade, organism-specific biosystem; C-MYC pathway, organism-specific biosystem; CTLA4 inhibitory

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



signaling, organism-specific biosystem; Canonical Wnt signaling pathway, organism-specific biosystem; Cell Cycle, organism-specific biosystem;

Function

hydrolase activity; metal ion binding; phosphoprotein phosphatase activity; protein C-terminus binding; protein binding; protein dimerization activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA