

Recombinant Human PPP2CB 293 Cell Lysate

Cat. No. PPP2CB-2927HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for protein phosphatase 2 (formerly 2A), catalytic subunit, beta isoform (PPP2CB), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	PPP2CB protein phosphatase 2, catalytic subunit, beta isozyme [Homo sapiens]
Official Symbol	PPP2CB
Synonyms	PPP2CB; protein phosphatase 2, catalytic subunit, beta isozyme; protein phosphatase 2 (formerly 2A), catalytic subunit, beta isoform; serine/threonine-protein phosphatase 2A catalytic subunit beta isoform; PP2Abeta; protein phosphatase 2A catalytic subunit; beta isoform; PP2A-beta; protein phosphatase type 2A catalytic subunit; protein phosphatase 2, catalytic subunit, beta isoform; protein phosphatase 2A catalytic subunit, beta isoform; serine/threonine protein phosphatase 2A, catalytic subunit, beta isoform; PP2CB;
Gene ID	5516
mRNA Refseq	NM_001009552
Protein Refseq	NP_001009552
MIM	176916
UniProt ID	P62714
Chromosome Location	8p12
Pathway	Activated TLR4 signalling, organism-specific biosystem; Adaptive Immune System, organism-specific biosystem; Beta-catenin phosphorylation cascade, organism-

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

specific biosystem; CTLA4 inhibitory signaling, organism-specific biosystem; Cell Cycle, organism-specific biosystem; Cell Cycle, Mitotic, organism-specific biosystem; Chagas disease (American trypanosomiasis), organism-specific biosystem;

Function

hydrolase activity; metal ion binding; protein C-terminus binding; protein binding; contributes_to protein serine/threonine phosphatase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA