

Active Recombinant Human PRKAG1 & PRKAB2 & PRKAA2 Protein, His-GST-tagged

Cat. No. PRKAG1 & PRKAB2 & PRKAA2-1239H **Lot. No.** (See product label)

SPECIFICATION

Product Overview Recombinant human PRKAG1 (P54619) (Met 1-Pro 331), constructed the plasmid 1; Recombinant human PRKAB2 (O43741) (Met 1-Ile 272), constructed the plasmid 2; Recombinant human PRKAA2 (P54646) (Met 1-Arg 552) was fused with the N-terminal polyhistidine-tagge

Species Human

Source Insect Cells

ProteinLength 1-331;1-272 a.a.

Predicted N Terminal Met & Met & His

Form Supplied as sterile 50mM Tris, 200mM NaCl, 1mM EDTA, 1mM DTT, 0.5mM PMSF, 10% gly, 1mM GSH, pH 7.4.

Bio-activity The specific activity was determined to be 6 nmol/min/mg using synthetic SAMS peptide (HMRSAMSGHLVKRR) as substrate.

Molecular Mass The recombinant heterotrimer of human AMPK (PRKAG1 / PRKAB2 / PRKAA2) has a calculated molecular mass of 158 (38+30+90) KDa. The apparent molecular mass is approximately 35, 37 & 95 KDa respectively in SDS-PAGE under reducing conditions.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Purity	>90 % as determined by SDS-PAGE.
Stability	Samples are stable for up to twelve months from date of receipt at -70°C.
Storage	Store it under sterile conditions at -20°C~-70°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

GENE INFORMATION

Gene Name	PRKAG1 protein kinase, AMP-activated, gamma 1 non-catalytic subunit [Homo sapiens]
Official Symbol	PRKAG1
Synonyms	PRKAG1; protein kinase, AMP-activated, gamma 1 non-catalytic subunit; 5-AMP-activated protein kinase subunit gamma-1; AMPK gamma1; AMPK gamma-1 chain; 5-AMP-activated protein kinase, gamma-1 subunit; AMPKG; MGC8666;
Gene ID	5571
mRNA Refseq	NM_001206709
Protein Refseq	NP_001193638
MIM	602742
UniProt ID	P54619
Chromosome	12q12-q14

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Location	
Pathway	AMPK signaling, organism-specific biosystem; Adipocytokine signaling pathway, organism-specific biosystem; Adipocytokine signaling pathway, conserved biosystem; Energy Metabolism, organism-specific biosystem; Energy dependent regulation of mTOR by LKB1-AM
Function	ADP binding; AMP binding; contributes_to AMP-activated protein kinase activity; AMP-activated protein kinase activity; ATP binding; cAMP-dependent protein kinase activity; cAMP-dependent protein kinase regulator activity; nucleotide binding; protein bindi

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA