

## Recombinant Human PROK1 Protein

Cat. No. PROK1-230H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human PROK1 Protein without tag was expressed in E. coli.
<b>Species</b>	Human
<b>Source</b>	E.coli
<b>Description</b>	Endocrine gland-derived vascular endothelial growth factor (EG-VEGF) is an angiogenic growth factor that is expressed in the ovaries, testis, adrenal, and placental tissues. EG-VEGF has mitogenic, chemoattractive, and antiapoptotic functional roles. EG-VEGF signaling is mediated through binding the G protein-coupled receptors prokineticin receptor 1 (PKR1) and prokineticin receptor 2 (PKR2). Polycystic ovaries display strong EG-VEGF expression that is associated with increased angiogenesis and cyst formation, which could lead to the formation of polycystic ovary syndrome and infertility.
<b>Bio-activity</b>	No biological activity data is available at this time.
<b>Molecular Mass</b>	Monomer, 9.7 kDa (86 aa)
<b>AA Sequence</b>	AVITGACERDVQCGAGTCCAISLWLRGLRMCTPLGREGEECHPGSHKVPFFRKRK HHTCPCLPNLLCSRFPDGRYRCSMDLKNINF
<b>Endotoxin</b>	≤1 EUs/μg, Kinetic LAL
<b>Purity</b>	≥95%, Reducing and Non-Reducing SDS PAGE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Stability</b>	12 months from date of receipt when stored at -20 to -80 centigrade as supplied. 1 month when stored at 4 centigrade after reconstituting as directed. 3 months when stored at -20 to -80 centigrade after reconstituting as directed.
<b>Storage</b>	Storage Prior to Reconstitution: -20 centigrade
<b>Storage Buffer</b>	Lyophilized from a sterile (0.2 micron) filtered aqueous solution containing 0.1% Trifluoroacetic Acid (TFA)
<b>Reconstitution</b>	Sterile water at 0.1 mg/mL
<b>Shipping</b>	Room temperature
<b>Instructions</b>	Centrifuge vial before opening. Suspend the product by gently pipetting the above recommended solution down the sides of the vial. DO NOT VORTEX. For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at -80 centigrade, and avoid repeat freeze thaws.

## GENE INFORMATION

<b>Gene Name</b>	PROK1 prokineticin 1 [ Homo sapiens (human) ]
<b>Official Symbol</b>	PROK1
<b>Synonyms</b>	PROK1; prokineticin 1; prokineticin-1; black mamba toxin related protein; EGVEGF; mambakine; PK1; PRK1; EG-VEGF; black mamba toxin-related protein; endocrine-gland-derived vascular endothelial growth factor;
<b>Gene ID</b>	84432
<b>mRNA Refseq</b>	NM_032414

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



**Protein Refseq**      [NP\\_115790](#)

**MIM**      [606233](#)

**UniProt ID**      [P58294](#)

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA