

Recombinant Human PSMA1, T7-tagged

Cat. No. PSMA1-839H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human PSMA1 was produced in E.coli with a T7 tag at N-terminus. MW = 29556Da (1-263 aa).
Species	Human
Source	E.coli
ProteinLength	1-263 a.a.
Description	<p>Proteasome subunit alpha type-1 is a protein that in humans is encoded by the PSMA1 gene. The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the peptidase T1A family, that is a 20S core alpha subunit. Two alternative transcripts encoding different isoforms have been identified.</p>
Form	10 mM Tris. pH 8.0. 0.1% Triton X-100. 0.002% NaN3. 10mM DTT.
Purity	90%.
Clonality	N/A.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications MS. SDS.

GENE INFORMATION

Gene Name [PSMA1 proteasome \(prosome, macropain\) subunit, alpha type, 1 \[Homo sapiens \]](#)

Synonyms PSMA1; proteasome (prosome, macropain) subunit, alpha type, 1; NU; HC2; PROS30; MGC1667; MGC14542; MGC14575; MGC14751; MGC21459; MGC22853; MGC23915; proteasome subunit alpha type-1; PROS-30; protein P30-33K; proteasome nu chain; macropain subunit C2; macropain subunit nu; proteasome subunit nu; 30 kDa prosomal protein; proteasome component C2; proteasome subunit, alpha-type, 1; multicatalytic endopeptidase complex subunit C2; EC 3.4.25.1

Gene ID [5682](#)

mRNA Refseq [NM_001143937](#)

Protein Refseq [NP_001137409](#)

MIM [602854](#)

UniProt ID [P25786](#)

Chromosome Location 11p15.1

Pathway Proteasome


Function RNA binding; peptidase activity; protein binding; threonine-type endopeptidase activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

PDB rendering based
on 1iru.



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA