

Recombinant Human PSMB9, His-tagged

Cat. No. PSMB9-31103TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview Recombinant full length protein, corresponding to amino acids 6-209 of Human Proteasome 20S LMP2 with N terminal His tag; Predicted MWt 23 kDa.

Species Human

Source E.coli

ProteinLength 6-209 a.a.

Description

The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the proteasome B-type family, also known as the T1B family, that is a 20S core beta subunit. This gene is located in the class II region of the MHC (major histocompatibility complex). Expression of this gene is induced by gamma interferon and this gene product replaces catalytic subunit 1 (proteasome beta 6 subunit) in the immunoproteasome. Proteolytic processing is required to generate a mature subunit.

Conjugation HIS

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Form	Lyophilised:Reconstitute with 78 µl aqua dest.
Storage buffer	Preservative: None Constituents: 0.5% Trehalose, 6M Urea, 100mM Sodium phosphate, 10mM Sodium chloride, pH 4.5
Storage	Shipped at 4°C. Upon delivery aliquot and store at -80oC. Avoid freeze / thaw cycles.
Sequences of amino acids	EVHTGTTIMAVEFDGGVVMGSDSRVSAGEAVVNRVFDKLS PLHERIYCALSGSAAD AQAVADMAAYQLELHGIELEEP PLVLAANVVRNISYKYREDLSAHLMVAGWDQRE GGQV YGTLGGMLTRQPFAIGGSGSTFIYGYVDAAYKPGMSPE ECRRFTTDAIALA MSRDGSSGGVIYLVITTAAGVDHRVIL GNELPKFYDE
Sequence Similarities	Belongs to the peptidase T1B family.
Full Length	Full L.

GENE INFORMATION

Gene Name	PSMB9 proteasome (prosome, macropain) subunit, beta type, 9 (large multifunctional peptidase 2) [Homo sapiens]
Official Symbol	PSMB9
Synonyms	PSMB9; proteasome (prosome, macropain) subunit, beta type, 9 (large multifunctional peptidase 2); LMP2, proteasome (prosome, macropain) subunit, beta type, 9 (large multifunctional protease 2); proteasome subunit beta type-9; beta1i; PSMB6i; RING12;
Gene ID	5698

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq	NM_002800
Protein Refseq	NP_002791
MIM	177045
Uniprot ID	P28065
Chromosome Location	6p21.3
Pathway	APC/C-mediated degradation of cell cycle proteins, organism-specific biosystem; APC/C:Cdc20 mediated degradation of Securin, organism-specific biosystem; APC/C:Cdc20 mediated degradation of mitotic proteins, organism-specific biosystem; APC/C:Cdh1 mediated degradation of Cdc20 and other APC/C:Cdh1 targeted proteins in late mitosis/early G1, organism-specific biosystem; Activation of APC/C and APC/C:Cdc20 mediated degradation of mitotic proteins, organism-specific biosystem;
Function	peptidase activity; protein binding; threonine-type endopeptidase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA