

Active Recombinant Human PTN protein

Cat. No. PTN-30874TH Lot. No. (See product label)

SPECIFICATION

| | |
|-------------------------|--|
| Product Overview | Recombinant Human PTN protein(P21246)(33-168 aa) was expressed in E. coli. |
| Species | Human |
| Source | E.coli |
| ProteinLength | 33-168 aa |
| Form | Lyophilized from a 0.2 µm filtered solution in 1 × PBS, pH7.0, 0.02% Tween-20. |
| Bio-activity | Fully biologically active when compared to standard. The biological activity was measured by its ability to enhance neurite outgrowth of E16-E18 rat embryonic cortical neurons, when neurons were plated on 96 well culture plates that had been pre-coated with 100 µl/well of a solution of 5-10 g/ml rHuPTN. |
| Molecular Mass | Approximately 15.3 kDa, a single non-glycosylated polypeptide chain containing 136 amino acids. |
| AASequence | GKKEKPEKKV KKSDCGEWQW SVCVPTSGDC GLGTREGTRT GAECKQTMKT QRCKIPCNWK KQFGAECKYQ FQAWGECDLN TALKTRTGSL KRALHNAECQ KTVTISKPCG KLTKPKPQAE SKKKKKEGKK QEKMLD |
| Endotoxin | Less than 0.1 EU/µg of rHuPTN as determined by LAL method. |
| Purity | ≥ 95% by SDS-PAGE analysis. |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage

Use a manual defrost freezer and avoid repeated freeze-thaw cycles. - 12 months from date of receipt, -20 to -70 °C as supplied. - 1 month, 2 to 8 °C under sterile conditions after reconstitution. - 3 months, -20 to -70 °C under sterile conditions after reconstitution.

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1 % BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at ≤ -20 °C. Further dilutions should be made in appropriate buffered solutions.

GENE INFORMATION

Gene Name

PTN pleiotrophin [[Homo sapiens](#)]

Official Symbol

PTN

Synonyms

PTN; pleiotrophin; NEGF1, neurite growth promoting factor 1; HBGF8; HBNF; heparin binding growth factor 8; HBBM; OSF-1; HB-GAM; HBGF-8; HBNF-1; osteoblast-specific factor 1; heparin-binding brain mitogen; heparin-binding growth factor 8; heparin affin regulatory protein; neurite growth-promoting factor 1; heparin-binding growth-associated molecule; heparin-binding neurite outgrowth-promoting factor 1; pleiotrophin (heparin binding growth factor 8, neurite growth-promoting factor 1); HARP; NEGF1;

Gene ID

5764

mRNA Refseq

[NM_002825](#)

Protein Refseq

[NP_002816](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



MIM 162095

UniProt ID P21246

SDS-PAGE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA