

# Recombinant Human Protein Tyrosine Phosphatase, Receptor Type, J

**Cat. No.** PTPRJ-205H    **Lot. No.** (See product label)

## SPECIFICATION

<b>Product Overview</b>	Recombinant human DEP-1 is expressed in <i>E. coli</i> . It contains the catalytic domain of DEP-1 (residues 1024-1306) and has a molecular weight of 32.9 kDa.
<b>Species</b>	Human
<b>Source</b>	E.coli
<b>ProteinLength</b>	1024-1306 a.a.
<b>Description</b>	DEP-1 (density-enhanced phosphatase-1), also known as PTP-eta or CD148, is a representative of a unique subfamily of receptor protein tyrosine phosphatases with fibronectin type III-like repeats in the extracellular domain and only one catalytic domain. It is expressed in hematopoietic cells, fibroblasts, and endothelial cells. It has been shown to dephosphorylate PDGF. Human DEP-1 is a receptor protein tyrosine phosphatase containing 1445 amino acids.
<b>Purity</b>	Greater than 95% as determined by Coomassie-stained SDS-PAGE gel.
<b>Form</b>	25 mM Tris-HCl (pH 8.0), 75 mM NaCl, 0.05% Tween-20, 2 mM EDTA, 1 mM DTT and 50% glycerol. Liquid at -20°C.
<b>Applications</b>	Removal of phosphates from target substrates. Useful for the study of enzyme kinetics, regulation and for inhibitors screening.

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Specific Activity** 204 U/μg. One unit will hydrolyze 1 nmol of p-nitrophenyl phosphate per minute at pH 7.4 and 30°C. Assay buffer: 50 mM HEPES (pH 7.4), 2 mM EDTA, 3 mM DTT, 100 mM NaCl and 50 mM pNPP.

**Stability** 6 months at -20°C.

## GENE INFORMATION

**Gene Name** [PTPRJ protein tyrosine phosphatase, receptor type, J \[ Homo sapiens \]](#)

**Synonyms** PTPRJ; protein tyrosine phosphatase, receptor type, J; DEP1; SCC1; CD148; HPTPeta; R-PTP-ETA; receptor-type tyrosine-protein phosphatase eta; DEP-1; R-PTP-J; HPTP eta; CD148 antigen; density-enhanced phosphatase 1; protein-tyrosine phosphatase eta; human density enhanced phosphatase-1; protein-tyrosine phosphatase receptor type J; susceptibility to colon cancer 1, mouse, homolog of; protein tyrosine phosphatase, receptor type, J polypeptide; EC 3.1.3.48

**Gene ID** [5795](#)

**mRNA Refseq** [NM\\_001098503](#)

**Protein Refseq** [NP\\_001091973](#)

**MIM** [600925](#)

**UniProt ID** [Q12913](#)

**Chromosome Location** 11p11.2

**Pathway** Adherens junction

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



**Function**

hydrolase activity; protein binding; transmembrane receptor protein tyrosine phosphatase activity

**PDB rendering based on 2cfv.**



☎ Tel: 1-631-559-9269 1-516-512-3133

☎ Email: [info@creative-biomart.com](mailto:info@creative-biomart.com) ☎ Fax: 1-631-938-8127

☎ 45-1 Ramsey Road, Shirley, NY 11967, USA