

Recombinant Human Ran GTPase Activating Protein 1, GST-tagged

Cat. No. RANGAP1-682H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant human RanGAP1 produced in <i>E. coli</i> fused to a GST-tag.
Species	Human
Source	<i>E. coli</i>
Description	RanGTPase-activating RanGAP1 was the first protein shown to be post-translationally modified with SUMO. In higher eukaryotes, the cellular localization of RanGAP1 is regulated by SUMOylation of its C-terminal domain. The target lysines of RanGAP1, as well as the C-terminus of mature SUMO-1, lie within mobile regions of the two proteins. Upon SUMOylation, RanGAP1 and SUMO-1 behave as "beads-on-a-string" joined by a flexible isopeptide tether and their structures and local dynamic features do not change significantly beyond the site of this covalent linkage.
Source/Host	<i>E. coli</i> .
Application	RanGAP1 acts as a very good control substrate for use in SUMOylation assays producing a product with a single SUMO modification as shown above.
Long Term Storage	-80°C.

GENE INFORMATION

Gene Name RANGAP1 Ran GTPase activating protein 1 [*Homo sapiens*]

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Synonyms	Ran GTPase activating protein 1; SD; Fug1; KIAA1835; MGC20266; RANGAP1; ran GTPase-activating protein 1; segregation distortion; segregation distorter homolog; segregation distorter homolog (Drosophila); OTTHUMP00000198756; OTTHUMP00000198757; RanGAP1
Gene ID	5905
mRNA Refseq	NM_002883
Protein Refseq	NP_002874
MIM	602362
UniProt ID	P46060
Chromosome Location	22q13
Pathway	Cell Cycle, Mitotic
Function	GTPase activator activity; Ran GTPase activator activity; protein binding

PDB rendering based on 1z5s.



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA