

Recombinant Full Length Pongo Abelii 3-Hydroxyacyl-Coa Dehydratase 2(Ptplb) Protein, His-Tagged

Cat. No. RFL11593PF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Full Length Pongo abelii 3-hydroxyacyl-CoA dehydratase 2(PTPLB) Protein (Q5RBK3) (2-255aa), fused to N-terminal His tag, was expressed in E. coli.
Species	Pongo Abelii
Source	E.coli
ProteinLength	Full Length of Mature Protein (2-255)
Form	Lyophilized powder
AA Sequence	AAAAAATAAAKGNNGGGGGRAGAGDASGTRKKKGGPGLATAYLVIYNVVMTAGWLV IAVGL VRAYLAKGSYHSLYYSIEKPLKFFQTGALLEILHCAIGIVPSSVVLTSFQVMSR VFLIWA VTHSVKEVQSEDSVLLFVIAWTITEIIRYSFYTFSLLNHLPLYLIKWARYTLFIVL YPMGV SGELLTIYAALPFVRQAGLYSISLPNKYNFSFDYYAFLILIMISYIPIFPQLYFH MIHQR RKILSHTEEHKKFE
Purity	Greater than 90% as determined by SDS-PAGE.
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Storage	Store at -20°C/-80°C upon receipt, aliquoting is necessary for mutiple use. Avoid repeated freeze-thaw cycles.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage Buffer Tris/PBS-based buffer, 6% Trehalose, pH 8.0

Reconstitution We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

GENE INFORMATION

Gene Name HACD2

Synonyms HACD2; PTPLB; Very-long-chain; 3R-3-hydroxyacyl-CoA dehydratase 2; 3-hydroxyacyl-CoA dehydratase 2; HACD2; Protein-tyrosine phosphatase-like member B

UniProt ID [Q5RBK3](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA