

# Recombinant Full Length Methylibium Petroleiphilum Atp Synthase Subunit C(Atpe) Protein, His-Tagged

**Cat. No.** RFL16810MF    **Lot. No.** (See product label)

## SPECIFICATION

<b>Product Overview</b>	Recombinant Full Length Methylibium petroleiphilum ATP synthase subunit c(atpE) Protein (A2SC65) (1-82aa), fused to N-terminal His tag, was expressed in E. coli.
<b>Species</b>	Methylibium petroleiphilum
<b>Source</b>	E.coli
<b>ProteinLength</b>	Full Length (1-82)
<b>Form</b>	Lyophilized powder
<b>AA Sequence</b>	MEHVLGFVALAAGLIIGLGAIGACIGIGIMGSKYLESAARQPELMNELQTKMFLAGLI D AAFLIGVGIAMMFAFANPFVLK
<b>Purity</b>	Greater than 90% as determined by SDS-PAGE.
<b>Notes</b>	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
<b>Storage</b>	Store at -20°C/-80°C upon receipt, aliquoting is necessary for mutiple use. Avoid repeated freeze-thaw cycles.
<b>Storage Buffer</b>	Tris/PBS-based buffer, 6% Trehalose, pH 8.0

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



**Reconstitution**

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

**GENE INFORMATION**

**Gene Name**

atpE

**Synonyms**

atpE; Mpe\_A0192; ATP synthase subunit c; ATP synthase F(0 sector subunit c; F-type ATPase subunit c; F-ATPase subunit c; Lipid-binding protein

**UniProt ID**

[A2SC65](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA