

Recombinant Full Length *Acinetobacter Baumannii* NADH-Quinone Oxidoreductase Subunit A(NuoA) Protein, His-Tagged

Cat. No. RFL17819AF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Full Length <i>Acinetobacter baumannii</i> NADH-quinone oxidoreductase subunit A(nuoA) Protein (A3M2P8) (1-183aa), fused to N-terminal His tag, was expressed in <i>E. coli</i> .
Species	<i>Acinetobacter Baumannii</i>
Source	<i>E.coli</i>
ProteinLength	Full Length (1-183)
Form	Lyophilized powder
AA Sequence	MSAITPYDWAIIFVIGVTFLCVFMLTVPLLLGGKSWGRAKQEQFESGVVSAGGARIR LS AKFYLVVAIFFVVFDFLEALYLYAWSTSVREVGWLGYYTTVVVFVVDLLIALVYAFSVGA LSW APADRRKLAGEKIKVGSPTMNIAEITRFNSIEELVTDPTGQIPAQSSGRVKSKT PALSS EKE
Purity	Greater than 90% as determined by SDS-PAGE.
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Storage	Store at -20°C/-80°C upon receipt, aliquoting is necessary for mutiple use. Avoid repeated freeze-thaw cycles.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage Buffer Tris/PBS-based buffer, 6% Trehalose, pH 8.0

Reconstitution We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

GENE INFORMATION

Gene Name nuoA

Synonyms nuoA; A1S_0752; NADH-quinone oxidoreductase subunit A; NADH dehydrogenase I subunit A; NDH-1 subunit A; NUO1

UniProt ID [A3M2P8](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA