

Recombinant Human RPN1 293 Cell Lysate

Cat. No. RPN1-2183HCL **Lot. No.** (See product label)

SPECIFICATION

| | |
|----------------------------|---|
| Species | Human |
| Source | HEK293 |
| Description | Antigen standard for ribophorin I (RPN1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection. |
| Components | This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol). |
| Size | 0.1 mg |
| Storage Instruction | Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment. |
| Applications | ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane. |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

GENE INFORMATION

Gene Name [RPN1 ribophorin I \[Homo sapiens \]](#)

Official Symbol [RPN1](#)

Synonyms [RPN1](#); [ribophorin I](#); [dolichyl-diphosphooligosaccharide--protein glycosyltransferase subunit 1](#); [oligosaccharyltransferase 1 homolog \(S. cerevisiae\)](#); [OST1](#); [RPN-I](#); [ribophorin-1](#); [oligosaccharyltransferase 1 homolog](#); [dolichyl-diphosphooligosaccharide-protein glycosyltransferase 67 kDa subunit](#); [dolichyl-diphosphooligosaccharide--protein glycosyltransferase 67 kDa subunit](#); [RBPH1](#); [DKFZp686B16177](#);

Gene ID [6184](#)

mRNA Refseq [NM_002950](#)

Protein Refseq [NP_002941](#)

MIM [180470](#)

UniProt ID [P04843](#)

Chromosome Location [3q21.3](#)

Pathway [Asparagine N-linked glycosylation, organism-specific biosystem](#); [Gene Expression, organism-specific biosystem](#); [Metabolic pathways, organism-specific biosystem](#); [Metabolism of proteins, organism-specific biosystem](#); [N-Glycan biosynthesis, organism-specific biosystem](#); [N-Glycan biosynthesis, conserved biosystem](#); [Oligosaccharyltransferase, organism-specific biosystem](#);

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

contributes_to dolichyl-diphosphooligosaccharide-protein glycotransferase activity;
transferase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA