

## Recombinant Human RPN2 293 Cell Lysate

**Cat. No.** RPN2-2182HCL    **Lot. No.** (See product label)

### SPECIFICATION

<b>Species</b>	Human
<b>Source</b>	HEK293
<b>Description</b>	Antigen standard for ribophorin II (RPN2), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
<b>Components</b>	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
<b>Size</b>	0.1 mg
<b>Storage Instruction</b>	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
<b>Applications</b>	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

## GENE INFORMATION

**Gene Name** [RPN2 ribophorin II \[ Homo sapiens \]](#)

**Official Symbol** [RPN2](#)

**Synonyms** [RPN2](#); [ribophorin II](#); [dolichyl-diphosphooligosaccharide--protein glycosyltransferase subunit 2](#); [RIBIIR](#); [RPN II](#); [RPNII](#); [SWP1](#); [ribophorin-2](#); [dolichyl-diphosphooligosaccharide--protein glycosyltransferase 63 kDa subunit](#); [RPN-II](#);

**Gene ID** [6185](#)

**mRNA Refseq** [NM\\_001135771](#)

**Protein Refseq** [NP\\_001129243](#)

**MIM** [180490](#)

**UniProt ID** [P04844](#)

**Chromosome Location** [20q12-q13.1](#)

**Pathway** [Asparagine N-linked glycosylation, organism-specific biosystem](#); [Gene Expression, organism-specific biosystem](#); [Metabolic pathways, organism-specific biosystem](#); [Metabolism of proteins, organism-specific biosystem](#); [N-Glycan biosynthesis, organism-specific biosystem](#); [N-Glycan biosynthesis, conserved biosystem](#); [Oligosaccharyltransferase, organism-specific biosystem](#);

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



**Function**

dolichyl-diphosphooligosaccharide-protein glycotransferase activity; contributes\_to  
dolichyl-diphosphooligosaccharide-protein glycotransferase activity; transferase  
activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA