

Recombinant Human RUNX2 293 Cell Lysate

Cat. No. RUNX2-2108HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for runt-related transcription factor 2 (RUNX2), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	RUNX2 runt-related transcription factor 2 [Homo sapiens]
Official Symbol	RUNX2
Synonyms	RUNX2; runt-related transcription factor 2; CBFA1, CCD, CCD1; AML3; PEBP2A1; PEBP2aA1; CBF-alpha-1; PEA2-alpha A; PEBP2-alpha A; oncogene AML-3; acute myeloid leukemia 3 protein; SL3-3 enhancer factor 1 alpha A subunit; osteoblast-specific transcription factor 2; SL3/AKV core-binding factor alpha A subunit; core-binding factor, runt domain, alpha subunit 1; polyomavirus enhancer-binding protein 2 alpha A subunit; CCD; CCD1; OSF2; CBFA1; OSF-2; PEA2aA; PEBP2A2; PEBP2aA; MGC120022; MGC120023;
Gene ID	860
mRNA Refseq	NM_001024630
Protein Refseq	NP_001019801
MIM	600211
UniProt ID	Q13950
Chromosome Location	6p21
Pathway	Androgen Receptor Signaling Pathway, organism-specific biosystem; Endochondral Ossification, organism-specific biosystem; FGF signaling pathway, organism-specific

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



biosystem; Gene Expression, organism-specific biosystem; Generic Transcription Pathway, organism-specific biosystem; Notch-mediated HES/HEY network, organism-specific biosystem; Regulation of nuclear SMAD2/3 signaling, organism-specific biosystem;

Function

ATP binding; DNA binding; protein binding; sequence-specific DNA binding transcription factor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA