

Recombinant Human RUVBL1 cell lysate

Cat. No. RUVBL1-001HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human RUVBL1 / RVB1 derived in Baculovirus-Insect cells. The whole cell lysate is provided in 1X Sample Buffer. Browse all transfected cell lysate positive controls
Species	Human
Source	Insect Cells
Preparation method	Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer with cocktail of protease inhibitors. Cell debris was removed by centrifugation and then centrifuged to clarify the lysate. The cell lysate was boiled for 5 minutes in 1 x SDS sample buffer (50 mM Tris-HCl pH 6.8, 12.5% glycerol, 1% sodium dodecylsulfate, 0.01% bromophenol blue) containing 5% b-mercaptoethanol, and lyophilized.
Lysis buffer	Modified RIPA Lysis Buffer: 50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF
Quality control Testing	12.5% SDS-PAGE Stained with Coomassie Blue
Recommended Usage	1. Centrifuge the tube for a few seconds and ensure the pellet at the bottom of the tube. 2. Re-dissolve the pellet using 200µL pure water and boiled for 2-5 min. 3. Store it at -80°C. Recommend to aliquot the cell lysate into smaller quantities for optimal storage. Avoid repeated freeze-thaw cycles. Notes: The lysate is ready to load on SDS-PAGE for Western blot application. If dissociating conditions are required, add

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

reducing agent prior to heating.

Stability

Samples are stable for up to twelve months from date of receipt at -80°C

Storage Buffer

50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0.1% SDS, 1% Sodium deoxycholate, 1mM PMSF

Storage Instruction

Lysate samples are stable for 12 months from date of receipt when stored at -80°C. Avoid repeated freeze-thaw cycles. Prior to SDS-PAGE fractionation, boil the lysate for 5 minutes.

GENE INFORMATION

Gene Name

[RUVBL1 RuvB-like 1 \(E. coli\) \[Homo sapiens \]](#)

Official Symbol

RUVBL1

Synonyms

RUVBL1; RuvB-like 1 (E. coli); RuvB (E coli homolog) like 1; ruvB-like 1; ECP54; INO80 complex subunit H; INO80H; NMP238; pontin; Pontin52; RVB1; Rvb1; TIH1; TIP49; TIP49a; ECP-54; NMP 238; pontin 52; TAP54-alpha; nuclear matrix protein 238; RuvB (E coli homolog)-like 1; 49 kDa TBP-interacting protein; TIP60-associated protein 54-alpha; 54 kDa erythrocyte cytosolic protein; TATA binding protein interacting protein 49 kDa; 49 kDa TATA box-binding protein-interacting protein; PONTIN; TIP49A;

Gene ID

[8607](#)

mRNA Refseq

[NM_003707](#)

Protein Refseq

[NP_003698](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM	603449
UniProt ID	Q9Y265
Chromosome Location	3q21
Pathway	C-MYC pathway, organism-specific biosystem; Cell Cycle, organism-specific biosystem; Chromosome Maintenance, organism-specific biosystem; Deposition of New CENPA-containing Nucleosomes at the Centromere, organism-specific biosystem; Extension of Telomeres, organism-specific biosystem; Nucleosome assembly, organism-specific biosystem; Telomere Extension By Telomerase, organism-specific biosystem;
Function	ATP binding; NOT ATPase activity; DNA helicase activity; hydrolase activity; nucleotide binding; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA