

Recombinant Human S100A8 Protein, His-tagged

Cat. No. S100A8-2710H **Lot. No.** (See product label)

SPECIFICATION

| | |
|-------------------------|--|
| Product Overview | Recombinant Human CALPRO Protein (Met1-Glu93 and Met1-Pro114 co-expression) with N-His tag was expressed in E. coli. |
| Species | Human |
| Source | E.coli |
| ProteinLength | Met1-Glu93 and Met1-Pro114 co-expression |
| Description | The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF-hand calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 genes include at least 13 members which are located as a cluster on chromosome 1q21. This protein may function in the inhibition of casein kinase and as a cytokine. Altered expression of this protein is associated with the disease cystic fibrosis. Multiple transcript variants encoding different isoforms have been found for this gene. |
| Form | Freeze-dried powder |
| Molecular Mass | Predicted Molecular Mass: 12/14 kDa Accurate Molecular Mass: 14/16 kDa |
| Purity | > 95% |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

| | |
|-----------------------|--|
| Applications | Positive Control; Immunogen; SDS-PAGE; WB. |
| Stability | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Storage | Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months. |
| Storage Buffer | 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300. |
| Reconstitution | Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex. |

GENE INFORMATION

| | |
|------------------------|---|
| Gene Name | S100A8 S100 calcium binding protein A8 [Homo sapiens (human)] |
| Official Symbol | S100A8 |
| Synonyms | Calprotectin; CALPRO; S100A8; S100 calcium binding protein A8; P8; MIF; NIF; CAGA; CFAG; CGLA; L1Ag; MRP8; CP-10; MA387; 60B8AG; S100-A8; protein S100-A8 calgranulin A calprotectin L1L subunit cystic fibrosis antigen leukocyte L1 complex light chain migration inhibitory factor-related protein 8 urinary stone protein band A; MRP-8/MRP-14; S100A8/A9; S100A9; S100 calcium |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

binding protein A9; MIF; NIF; P14; CAGB; CFAG; CGLB; L1AG; LIAG; MRP14;
 60B8AG; MAC387; S100-A9; protein S100-A9
 MRP-14
 calgranulin B
 calprotectin L1H subunit
 leukocyte L1 complex heavy chain
 migration inhibitory factor-related protein 14

Gene ID [6279](#)


mRNA Refseq [NM_002964](#)

Protein Refseq [NP_002955](#)

MIM [123885](#)

UniProt ID [P05109](#)



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com
 Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA