

Recombinant Human S1PR3 293 Cell Lysate

Cat. No. S1PR3-2084HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for sphingosine-1-phosphate receptor 3 (S1PR3) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [S1PR3 sphingosine-1-phosphate receptor 3 \[Homo sapiens \]](#)

Official Symbol [S1PR3](#)

Synonyms [S1PR3](#); sphingosine-1-phosphate receptor 3; EDG3, endothelial differentiation, sphingolipid G protein coupled receptor, 3; sphingosine 1-phosphate receptor 3; EDG 3; sphingosine 1 phosphate receptor 3; S1P receptor 3; S1P receptor EDG3; S1P receptor Edg-3; sphingosine 1-phosphate receptor Edg-3; endothelial differentiation G-protein coupled receptor 3; G protein-coupled receptor, endothelial differentiation gene-3; endothelial differentiation, sphingolipid G-protein-coupled receptor, 3; EDG3; LPB3; S1P3; EDG-3; FLJ37523; FLJ93220; MGC71696;

Gene ID [1903](#)

mRNA Refseq [NM_005226](#)

Protein Refseq [NP_005217](#)

MIM [601965](#)

UniProt ID [Q99500](#)

Chromosome Location 9q22.1-q22.2

Pathway [Class A/1 \(Rhodopsin-like receptors\), organism-specific biosystem](#); [G alpha \(i\) signalling events, organism-specific biosystem](#); [GPCR downstream signaling,](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



organism-specific biosystem; GPCR ligand binding, organism-specific biosystem; Lysosphingolipid and LPA receptors, organism-specific biosystem; Neuroactive ligand-receptor interaction, organism-specific biosystem; Neuroactive ligand-receptor interaction, conserved biosystem;

Function

G-protein coupled receptor activity; lipid binding; receptor activity; signal transducer activity; sphingosine-1-phosphate receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA