

Recombinant Human SETD7 293 Cell Lysate

Cat. No. SETD7-1925HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for SET domain containing (lysine methyltransferase) 7 (SETD7) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	SETD7 SET domain containing (lysine methyltransferase) 7 [Homo sapiens]
Official Symbol	SETD7
Synonyms	SETD7; SET domain containing (lysine methyltransferase) 7; histone-lysine N-methyltransferase SETD7; KIAA1717; KMT7; SET7; SET7/9; Set9; H3-K4-HMTase SETD7; lysine N-methyltransferase 7; SET domain-containing protein 7; histone H3-K4 methyltransferase SETD7; histone H3-lysine 4-specific methyltransferase; SET9; FLJ21193;
Gene ID	80854
mRNA Refseq	NM_030648
Protein Refseq	NP_085151
MIM	606594
UniProt ID	Q8WTS6
Chromosome Location	4q31.1
Pathway	Lysine degradation, organism-specific biosystem; Lysine degradation, conserved biosystem; p53 pathway, organism-specific biosystem;
Function	histone-lysine N-methyltransferase activity; histone-lysine N-methyltransferase

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



activity; methyltransferase activity; p53 binding; protein binding; protein-lysine N-methyltransferase activity; transferase activity;

☎ Tel: 1-631-559-9269 1-516-512-3133

☎ Email: info@creative-biomart.com ☎ Fax: 1-631-938-8127

☎ 45-1 Ramsey Road, Shirley, NY 11967, USA