

Recombinant Human SF3B5 Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. SF3B5-3106H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	SF3B5 MS Standard C13 and N15-labeled recombinant protein (NP_112577) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	Involved in pre-mRNA splicing as a component of the splicing factor SF3B complex, a constituent of the spliceosome. SF3B complex is required for 'A' complex assembly formed by the stable binding of U2 snRNP to the branchpoint sequence (BPS) in pre-mRNA. Sequence independent binding of SF3A/SF3B complex upstream of the branch site is essential, it may anchor U2 snRNP to the pre-mRNA.
Molecular Mass	10.1 kDa
AA Sequence	MTDRYTIHSQLEHLQSKYIGTGHADTTKWEWLVNQHRDSYCSYMGHFDLLNYFAIA ENESKARVRFNLMEKMLQPCGPPADKPEENTRTRPLEQKLISEEDLAANDILDYKDD DDKV
Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining
Stability	Stable for 3 months from receipt of products under proper storage and handling conditions.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage Store at -80 centigrade. Avoid repeated freeze-thaw cycles.

Concentration 50 µg/mL as determined by BCA

Storage Buffer 100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION

Gene Name SF3B5 splicing factor 3b subunit 5 [Homo sapiens (human)]

Official Symbol SF3B5

Synonyms SF3B5; splicing factor 3b, subunit 5, 10kDa; splicing factor 3B subunit 5; MGC3133; SF3b10; Ysf3; pre-mRNA-splicing factor SF3b 10 kDa subunit;

Gene ID 83443

mRNA Refseq NM_031287

Protein Refseq NP_112577

MIM 617847

UniProt ID Q9BWJ5


 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



SDS-PAGE



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA