

## Recombinant Human SGCG 293 Cell Lysate

Cat. No. SGCG-1887HCL Lot. No. (See product label)

### SPECIFICATION

<b>Species</b>	Human
<b>Source</b>	HEK293
<b>Description</b>	Antigen standard for sarcoglycan, gamma (35kDa dystrophin-associated glycoprotein) (SGCG) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
<b>Components</b>	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
<b>Size</b>	0.1 mg
<b>Storage Instruction</b>	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
<b>Applications</b>	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

## GENE INFORMATION

<b>Gene Name</b>	SGCG sarcoglycan, gamma (35kDa dystrophin-associated glycoprotein) [ Homo sapiens ]
<b>Official Symbol</b>	SGCG
<b>Synonyms</b>	SGCG; sarcoglycan, gamma (35kDa dystrophin-associated glycoprotein); DMDA1, LGMD2C, MAM, sarcoglycan, gamma (35kD dystrophin associated glycoprotein); gamma-sarcoglycan; 35kD dystrophin associated glycoprotein; A4; DAGA4; DMDA; gamma sarcoglycan; limb girdle muscular dystrophy 2C (Duchenne like muscular dystrophy; autosomal recessive); Maghrebian myopathy (autosomal recessive); MGC130048; SCARM2; SCG3; TYPE; 35DAG; gamma-SG; 35kD dystrophin-associated glycoprotein; 35 kDa dystrophin-associated glycoprotein; MAM; DMDA1; LGMD2C;
<b>Gene ID</b>	6445
<b>mRNA Refseq</b>	NM_000231
<b>Protein Refseq</b>	NP_000222
<b>MIM</b>	608896
<b>UniProt ID</b>	Q13326
<b>Chromosome Location</b>	13q12-q13

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



**Pathway**

Arrhythmogenic right ventricular cardiomyopathy (ARVC), organism-specific biosystem; Arrhythmogenic right ventricular cardiomyopathy (ARVC), conserved biosystem; Dilated cardiomyopathy, organism-specific biosystem; Dilated cardiomyopathy, conserved biosystem; Hypertrophic cardiomyopathy (HCM), organism-specific biosystem; Hypertrophic cardiomyopathy (HCM), conserved biosystem; Viral myocarditis, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA