

Recombinant Human Sirtuin 3, GST-tagged

Cat. No. SIRT3-4878H Lot. No. (See product label)

SPECIFICATION

Product Overview	Full-length recombinant human SIRT3 was expressed in E. coli cells using an N-terminal GST tag.
Species	Human
Source	E.coli
Description	SIRT3 is a member of the class I of the Sirtuin family that is characterized by a Sirtuin core domain. Sirtuin are grouped into four classes and are homologs to the Sir2 protein. SIRT3 is known to regulate the epigenetic gene silencing and suppresses recombination of rDNA. SIRT3 may function as an intracellular regulatory protein with mono-ADP-ribosyltransferase activity that is essential for its silencing function.
Applications	Western Blot
Molecular Weight	66 kDa
Expression System	E. coli
Form	Recombinant protein stored in 50 mM Tris-HCl, pH 7.5, 150 mM NaCl, 10 mM glutathione, 0.1 mM EDTA, 0.25 mM DTT, 0.1mM PMSF, 25 % glycerol.
Purity	> 75 %
Concentration	0.2 ug/ul

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Sequences	Full-length
Storage	Store product at -70°C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.
Pathways	Signaling events mediated by HDAC Class I; Signaling events mediated by HDAC Class III; Energy Metabolism
GENE INFORMATION	
Gene Name	SIRT3 sirtuin 3 [Homo sapiens]
Official Symbol	SIRT3
Synonyms	SIRT3; sirtuin 3; SIR2L3; NAD-dependent deacetylase sirtuin-3, mitochondrial; sir2-like 3; sirtuin type 3; OTTHUMP00000147616; OTTHUMP00000230525; OTTHUMP00000230526; OTTHUMP00000230527; OTTHUMP00000230528; SIR2-like protein 3; silent mating type information regulation 2, S.cerevisiae, homolog 3; mitochondrial nicotinamide adenine dinucleotide-dependent deacetylase; EC 3.5.1.-; sirtuin (silent mating type information regulation 2 homolog) 3 (S. cerevisiae); sirtuin (silent mating type information regulation 2, S. cerevisiae, homolog) 3
Gene ID	23410
mRNA Refseq	NM_001017524
Protein Refseq	NP_001017524
MIM	604481

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID Q9NTG7

**Chromosome
Location** 11p15.5

Function NAD binding; NAD+ ADP-ribosyltransferase activity; hydrolase activity; hydrolase activity; metal ion binding; protein binding; zinc ion binding

**Rendering based on
PDB 3GLR.**



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA