

Native Japanese Pagoda tree *Styphnolobium japonicum* Lectin (SJA), Cy5-Conjugated

Cat. No. SJA-237J Lot. No. (See product label)

SPECIFICATION

Product Overview	<p>Native Japanese Pagoda tree <i>Styphnolobium japonicum</i> Lectin (SJA)- Cy5 Blood Group Specificity: Non-specific Preferred Sugar Specificity: β-N-Acetylgalactosamine Inhibiting or Eluting Sugar: N-Acetylgalactosamine Divalent Ions: Ca⁺⁺, Mn⁺⁺ Excitation: 650 nm Emission: 670 nm Mitogenic Activity: No Hazardous Shipping: Non-hazardous Fluorescence: Red Appearance Color: Red</p>
Species	Japanese Pagoda tree
Source	Japanese Pagoda tree
Description	<p>Cy5, when bound to <i>Styphnolobium japonicum</i> Lectin (SJA), can show the binding pattern of this lectin in cellular imaging and flow cytometry. The excitation wavelength required for Cy5 to fluoresce is high enough to avoid overlap with most other fluorochromes, making it useful for dual-labeling experiments. Because of this high excitation, there is typically less background from autofluorescence of biological specimens.</p>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Form	Liquid
Stability	Shelf Life: 1 year
Storage	At 2-8 centigrade.
Concentration	1 mg/mL
GENE INFORMATION	
Official Symbol	SJA
Synonyms	Styphnolobium japonicum Lectin; SJA)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA