

Recombinant Human S-phase Kinase-associated Protein 1

Cat. No. SKP1-1822H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human SKP1 protein was expressed in <i>E.coli</i> and purified by using conventional chromatography techniques. MW = 18 kDa (160aa).
Species	Human
Source	<i>E.coli</i>
Description	S-phase kinase-associated protein 1, also known as SKP1, is an F-box protein which functions as a substrate recognition component of the SCF ubiquitin ligase complex. It binds to proteins containing an F-box motif, such as cyclin F, S-phase kinase-associated protein 2, and other regulatory proteins involved in ubiquitin dependent proteolysis. It is also involved in the control of beta-catenin levels and the activity of beta-catenin dependent TCF transcription factors.
Amino Acid Sequence	MPSIKLQSSD GEIFEVDVEI AKQSVTIKTM LEDLGMDDEG DDDPVPLPNV NAAILKKVIQ WCTHHKDDPP PPEDDENKEK RTDDIPVWDQ EFLKVDQGTL FELILAANYL DIKGLLDVTC KTVANMIK GK TPEEIRKTFN IKNDFTEEEE AQVGSTQFCL
Form	Liquid. In 20mM Tris-HCl buffer (pH8.0) containing 50mM NaCl, 10% glycerol.
Purity	> 90% by SDS – PAGE.
Concentration	1 mg/ml (determined by Bradford assay).

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

GENE INFORMATION

Gene Name [SKP1 S-phase kinase-associated protein 1 \[Homo sapiens \]](#)

Synonyms SKP1; S-phase kinase-associated protein 1; OCP2; p19A; EMC19; SKP1A; OCP-II; TCEB1L; MGC34403; organ of Corti protein 2; cyclin A/CDK2-associated p19; RNA polymerase II elongation factor-like protein OCP2; transcription elongation factor B (SIII), polypeptide 1-like; S-phase kinase-associated protein 1A (p19A); Cyclin A/CDK2-associated protein p19; p19skp1; RNA polymerase II elongation factor-like protein; Organ of Corti protein 2; OCP-2; Transcription elongation factor B; SIII; cyclin A/CDK2-associated p19

Gene ID [6500](#)

mRNA Refseq [NM_006930](#)

Protein Refseq [NP_008861](#)

MIM [601434](#)

UniProt ID [P63208](#)

Chromosome Location 5q31

Pathway Cell cycle; TGF-beta signaling pathway; Ubiquitin mediated proteolysis; Wnt signaling pathway

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

protein binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA