

Recombinant Human SLC22A2 293 Cell Lysate

Cat. No. SLC22A2-1795HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for solute carrier family 22 (organic cation transporter), member 2 (SLC22A2) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	SLC22A2 solute carrier family 22 (organic cation transporter), member 2 [Homo sapiens]
Official Symbol	SLC22A2
Synonyms	SLC22A2; solute carrier family 22 (organic cation transporter), member 2; solute carrier family 22 member 2; OCT2; organic cation transporter 2; MGC32628;
Gene ID	6582
mRNA Refseq	NM_003058
Protein Refseq	NP_003049
MIM	602608
UniProt ID	O15244
Chromosome Location	6q25.3
Pathway	Na ⁺ /Cl ⁻ dependent neurotransmitter transporters, organism-specific biosystem; Neuronal System, organism-specific biosystem; Neurotransmitter Clearance In The Synaptic Cleft, organism-specific biosystem; Neurotransmitter Release Cycle, organism-specific biosystem; Norepinephrine Neurotransmitter Release Cycle, organism-specific biosystem; Organic cation transport, organism-specific biosystem; Organic cation/anion/zwitterion transport, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

ion transmembrane transporter activity; organic cation transmembrane transporter activity; organic cation transmembrane transporter activity; transmembrane transporter activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA