

## Recombinant Human SMAD1 293 Cell Lysate

Cat. No. SMAD1-1677HCL Lot. No. (See product label)

### SPECIFICATION

<b>Species</b>	Human
<b>Source</b>	HEK293
<b>Description</b>	Antigen standard for SMAD family member 1 (SMAD1), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
<b>Components</b>	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
<b>Size</b>	0.1 mg
<b>Storage Instruction</b>	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
<b>Applications</b>	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

## GENE INFORMATION

**Gene Name** [SMAD1 SMAD family member 1 \[ Homo sapiens \]](#)

**Official Symbol** SMAD1

**Synonyms**

SMAD1; SMAD family member 1; MAD, mothers against decapentaplegic homolog 1 (Drosophila) , MADH1, SMAD, mothers against DPP homolog 1 (Drosophila); mothers against decapentaplegic homolog 1; JV4 1; MADR1; MAD homolog 1; Mad-related protein 1; TGF-beta signaling protein 1; mothers against DPP homolog 1; SMAD, mothers against DPP homolog 1; MAD, mothers against decapentaplegic homolog 1; transforming growth factor-beta signaling protein 1; transforming growth factor-beta-signaling protein 1; BSP1; JV41; BSP-1; JV4-1; MADH1;

**Gene ID** [4086](#)

**mRNA Refseq** [NM\\_001003688](#)

**Protein Refseq** [NP\\_001003688](#)

**MIM** [601595](#)

**UniProt ID** [Q15797](#)

**Chromosome Location** 4q31.21

**Pathway**

ALK1 signaling events, organism-specific biosystem; ALK2 signaling events, organism-specific biosystem; BMP receptor signaling, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Delta-Notch Signaling Pathway, organism-specific biosystem; ErbB1 downstream signaling, organism-specific biosystem; Heart Development, organism-specific biosystem; Id Signaling Pathway, organism-specific biosystem;

**Function**

I-SMAD binding; RNA polymerase II core promoter sequence-specific DNA binding; co-SMAD binding; identical protein binding; protein binding; protein kinase binding; receptor signaling protein activity; sequence-specific DNA binding transcription factor activity; transforming growth factor beta receptor, pathway-specific cytoplasmic mediator activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA