

Recombinant Human SNAP25 293 Cell Lysate

Cat. No. SNAP25-1640HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for synaptosomal-associated protein, 25kDa (SNAP25), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	SNAP25 synaptosomal-associated protein, 25kDa [Homo sapiens]
Official Symbol	SNAP25
Synonyms	SNAP25; synaptosomal-associated protein, 25kDa; SNAP, synaptosomal associated protein, 25kD; synaptosomal-associated protein 25; bA416N4.2; dJ1068F16.2; resistance to inhibitors of cholinesterase 4 homolog; RIC 4; RIC4; SEC9; SNAP 25; SUP; super protein; SNAP; RIC-4; SNAP-25; FLJ23079;
Gene ID	6616
mRNA Refseq	NM_003081
Protein Refseq	NP_003072
MIM	600322
UniProt ID	P60880
Chromosome Location	20p12-p11.2
Pathway	Acetylcholine Neurotransmitter Release Cycle, organism-specific biosystem; BoNT Light Chain Types A, C1, E cleave SNAP-25, organism-specific biosystem; Botulinum neurotoxicity, organism-specific biosystem; Diabetes pathways, organism-specific biosystem; Disease, organism-specific biosystem; Dopamine Neurotransmitter Release Cycle, organism-specific biosystem; Effects of Botulinum toxin, organism-

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



specific biosystem;

Function

SNARE binding; myosin binding; protein N-terminus binding; protein binding; protein domain specific binding; syntaxin-1 binding; voltage-gated potassium channel activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA