

Recombinant Human SFRS7 293 Cell Lysate

Cat. No. SRSF7-1902HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for splicing factor, arginine/serine-rich 7, 35kDa (SFRS7) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	SRSF7 serine/arginine-rich splicing factor 7 [Homo sapiens]
Official Symbol	SRSF7
Synonyms	9G8; AAG3; SFRS7; serine/arginine-rich splicing factor 7; splicing factor 9G8; SR splicing factor 7; aging-associated protein 3; splicing factor, arginine/serine-rich 7, 35kDa
Gene ID	6432
mRNA Refseq	NM_001031684
Protein Refseq	NP_001026854
MIM	600572
UniProt ID	Q16629
Chromosome Location	2p22.1
Pathway	Cleavage of Growing Transcript in the Termination Region, organism-specific biosystem; RNA Polymerase II Transcription Termination, organism-specific biosystem; Transport of Mature mRNA derived from an Intron-Containing Transcript, organism-specific biosystem
Function	nucleotide binding; poly(A) RNA binding; protein binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA