

Recombinant Human TAF11 293 Cell Lysate

Cat. No. TAF11-1277HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for TAF11 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 28kDa (TAF11) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	TAF11 TAF11 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 28kDa [Homo sapiens]
Official Symbol	TAF11
Synonyms	TAF11; TAF11 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 28kDa; TAF2I, TATA box binding protein (TBP) associated factor, RNA polymerase II, I, 28kD; transcription initiation factor TFIID subunit 11; TAFII28; TAFII-28; TAF(II)28; TFIID subunit p30-beta; transcription initiation factor TFIID 28 kD subunit; transcription initiation factor TFIID 28 kDa subunit; TATA box binding protein (TBP)-associated factor, RNA polymerase II, I, 28kD; TAF2I; PRO2134; MGC:15243;
Gene ID	6882
mRNA Refseq	NM_005643
Protein Refseq	NP_005634
MIM	600772
UniProt ID	Q15544
Chromosome Location	6p21
Pathway	Basal transcription factors, organism-specific biosystem; Basal transcription factors, conserved biosystem; Disease, organism-specific biosystem; Gene Expression,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



organism-specific biosystem; HIV Infection, organism-specific biosystem; HIV Life Cycle, organism-specific biosystem; HIV-1 Transcription Initiation, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA