

Recombinant Human TCEA1

Cat. No. TCEA1-30067TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant full length Human TCEA1 with N terminal proprietary tag; Predicted MWt 59.18 kDa.
Species	Human
Source	Wheat Germ
ProteinLength	301 amino acids
Description	Transcription elongation factor A protein 1 is a protein that in humans is encoded by the TCEA1 gene.
Molecular Weight	59.180kDa inclusive of tags
Form	Liquid
Purity	Proprietary Purification
Storage buffer	pH: 8.00 Constituents: 0.3% Glutathione, 0.79% Tris HCl
Storage	Shipped on dry ice. Upon delivery aliquot and store at -80oC. Avoid freeze / thaw cycles.
Sequences of amino acids	MEDEVVRFACKMDKMOVQKNAAGALDLLKELKNIPMTLEL LQSTRIGMSVNAIRKQ STDEEVTSLAKSLIKSWKKLLDGP STEKDLDEKKKEPAITSQNSPEAREESTSSGNV

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SNRKDET NARDTYVSSFPRAPSTSDSVRLKCREMLAAALRTGDDYIA IGADEEELG
 SQIEEAIYQEIRNTDMKYKNRVRSRISNLKD AKNPNLRKNVLCGNIPDLFARMTAEE
 MASDELKEMRKNL TKEAIREHQMAKTGGTQTDLFTCGKCKKKNCTYTQVQTRS AD
 EPMTTFVVCNECGNRWKFC

Sequence Belongs to the TFS-II family.Contains 1 TFIS central domain.Contains 1 TFIS N-terminal domain.Contains 1 TFIS-type zinc finger.

Similarities

GENE INFORMATION

Gene Name TCEA1 transcription elongation factor A (SII), 1 [Homo sapiens]

Official Symbol TCEA1

Synonyms TCEA1; transcription elongation factor A (SII), 1; GTF2S, TCEA; transcription elongation factor A protein 1; SII; TF2S; TFIS;

Gene ID 6917

mRNA Refseq NM_006756

Protein Refseq NP_006747

MIM 601425

Uniprot ID P23193

Chromosome Location 8q11.2

Pathway DNA Repair, organism-specific biosystem; Dual incision reaction in TC-NER,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

organism-specific biosystem; Formation and Maturation of mRNA Transcript,
organism-specific biosystem; Formation of HIV-1 elongation complex containing HIV-
1 Tat, organism-specific biosystem; Formation of HIV-1 elongation complex in the
absence of HIV-1 Tat, organism-specific biosystem;

Function

DNA binding; metal ion binding; translation elongation factor activity; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA