

## Recombinant human TGFB3, Active

Cat. No. TGFB3-1571H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant human TGF-beta3 is a 27.2 kDa protein composed of two identical 118 amino acid polypeptide chains linked by a single disulphide bond.
<b>Species</b>	Human
<b>Source</b>	Nicotiana Benthamiana
<b>Description</b>	Recombinant human TGF-beta3 is a 27.2 kDa protein composed of two identical 118 amino acid peptide chains linked by a single disulphide bond. Transforming growth factor-beta is a family of five related cytokines that have been shown on a wide variety of normal and neoplastic cells, indicating the importance of these homo-dimer proteins as multi-functional regulators of cellular activity. The three mammalian isoforms of TGF-beta (TGF-beta1, TGF-beta2 and TGF-beta3) signal through the same receptor and elicit similar biological responses. They are involved in physiological processes as embryogenesis, tissue remodeling and wound healing.
<b>Form</b>	Recombinant human TGF beta-3 is lyophilized from a Tris HCl 0.05M buffer at pH 7.4.
<b>Molecular Mass</b>	27.2 kDa
<b>AA Sequence</b>	HHHHHHALDTNYCFRNLEENCCVRPLYIDFRQDLGWKWWHEPKGYANFCSGPCP YLRSDTTHSTVLGLYNTLN PEASASPCCVQDLEPLTILYYVGRTPKVEQLSNMNV KSCCKCS

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Endotoxin</b>	< 0.04 EU/μg protein (LAL)>
<b>Purity</b>	>97% by SDS-PAGE gel
<b>Storage</b>	This lyophilized preparation is stable at 2-8o C for short term, long storage it should be kept at -20oC. Reconstituted protein should be stored in working aliquots at -20°C. Repeated freezing and thawing is not recommended.
<b>Reconstitution</b>	Centrifuge vial before opening. Lyophilized protein should be reconstituted in water to a concentration of 25-50 ng/μl. Due to the protein nature, dimmers and multimers may be observed. At higher concentration the solubility may be reduced and multimers generated. Optimal concentration should be determined for specific application and cell lines.

## GENE INFORMATION

<b>Gene Name</b>	TGFB3 transforming growth factor, beta 3 [ Homo sapiens ]
<b>Official Symbol</b>	TGFB3
<b>Synonyms</b>	TGFB3; transforming growth factor, beta 3; transforming growth factor beta-3; TGF-beta-3; ARVD; TGF-beta3; FLJ16571;
<b>Gene ID</b>	7043
<b>mRNA Refseq</b>	NM_003239
<b>Protein Refseq</b>	NP_003230
<b>MIM</b>	190230

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>UniProt ID</b>	P10600
<b>Chromosome Location</b>	14q24
<b>Pathway</b>	ALK1 signaling events, organism-specific biosystem; Amoebiasis, organism-specific biosystem; Amoebiasis, conserved biosystem; Cell cycle, organism-specific biosystem; Cell cycle, conserved biosystem; Chagas disease (American trypanosomiasis), organism-specific biosystem; Chagas disease (American trypanosomiasis), conserved biosystem;
<b>Function</b>	growth factor activity; identical protein binding; protein binding; contributes_to protein binding; protein heterodimerization activity; transforming growth factor beta binding; transforming growth factor beta receptor binding; type I transforming growth

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA