

Active Recombinant Human TNF Protein (157 aa)

Cat. No. TNF-149T Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human TNF Protein (157 aa) without tag was expressed in <i>P. pastoris</i> .
Species	Human
Source	<i>P.pastoris</i>
ProteinLength	157
Description	Tumor Necrosis Factor-Alpha (TNF-alpha) plays a major role in growth regulation, differentiation, inflammation, viral replication, tumorigenesis, and autoimmune diseases. Besides inducing hemorrhagic necrosis of tumors, TNF has been found to be involved in tumorigenesis, tumor metastasis, viral replication, septic shock, fever, inflammation, and autoimmune diseases including Crohn's disease, and rheumatoid arthritis as well as graft-versus-host disease. TNF alpha-1a is a potent lymphoid factor that exerts cytotoxic effects on a wide range of tumor cells and certain other target cells.
Form	Sterile Filtered White lyophilized (freeze-dried) powder.
Bio-activity	ED50 < 0.08 ng/mL, measured in a cytotoxicity assay using L-929 mouse fibrosarcoma cells in the presence of the metabolic inhibitor actinomycin D, corresponding to a specific activity of >1.25 7units/mg.
Molecular Mass	17.4kDa, observed by reducing SDS-PAGE.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

AA Sequence	VRSSSRTPSDKPVAHVVANPQAEGQLQWLNRRANALLANGVELRDNQLVVPSEGL YLIYSQVLFKGGQCPSTHVLLTHTISRIAVSYQTKVNLLSAIKSPCQRETPEGAEAKP WYEPIYLGGVFQLEKGDRLSAEINRPDYLDFAESGQVYFGIIAL
Endotoxin	< 1 EU/μg, determined by LAL method.
Purity	> 95% by SDS-PAGE analysis.
Storage	Lyophilized recombinant human Tumor Necrosis Factor-Alpha (rhTNF-alpha) remains stable up to 12 months at -80 centigrade from date of receipt. Upon reconstitution, rhTNF-alpha should be stable up to 4 weeks at 4 centigrade or up to 6 months at -20 centigrade.
Storage Buffer	Lyophilized after extensive dialysis against PBS.
Reconstitution	Reconstituted in ddH2O at 100 μg/mL.

GENE INFORMATION

Gene Name	TNF tumor necrosis factor [Homo sapiens]
Official Symbol	TNF
Synonyms	TNF; tumor necrosis factor; TNFA, tumor necrosis factor (TNF superfamily, member 2); DIF; TNF superfamily; member 2; TNF alpha; TNFSF2; TNF-a; cachectin; APC1 protein; TNF, monocyte-derived; TNF, macrophage-derived; TNF superfamily, member 2; tumor necrosis factor alpha; tumor necrosis factor-alpha; tumor necrosis factor ligand superfamily member 2; TNFA; TNF-alpha;
Gene ID	7124

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



mRNA Refseq	NM_000594
Protein Refseq	NP_000585
MIM	191160
UniProt ID	P01375

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA