

Recombinant Human TNFRSF10B Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. TNFRSF10B-1435H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	TNFRSF10B MS Standard C13 and N15-labeled recombinant protein (NP_671716) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	The protein encoded by this gene is a member of the TNF-receptor superfamily, and contains an intracellular death domain. This receptor can be activated by tumor necrosis factor-related apoptosis inducing ligand (TNFSF10/TRAIL/APO-2L), and transduces an apoptosis signal. Studies with FADD-deficient mice suggested that FADD, a death domain containing adaptor protein, is required for the apoptosis mediated by this protein. Two transcript variants encoding different isoforms and one non-coding transcript have been found for this gene.
Molecular Mass	39.4 kDa
AA Sequence	MEQRGQNAPAASGARKRHGPGPREARGARPGLRVPKTLVLVVAAVLLLVS AESALI TQQDLAPQQRAAPQQKRSSPSEGLCPPGHHISEDGRDCISCKYGGDYSTHWNDLL FCLRCTRCDSGEVELSPCTTTRNTVCQCEEGTFREEDSPEMCRKCRGTGCP RGMVK VGDCTPWS DIECVHKESGIIIGVTVAAVVLIVAVFVCKSLLWKKVLPYLK GICSGGGG DPERVDRSSQRPGAEDNVLNEIVSILQPTQVPEQEME VQEP AEPTGVNMLSPGESE HLLPEAE AERSQRRRLLVPANEGDPTETLRQC FDDFADLVPFDSWEPLMRKLG LMD

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

NEIKVAKAEAAGHRDTLYTMLIKWVNKTGRDASVHTLLDALETGERLAKQKIEDHLL
SSGKFMYLEGNADSAMSTRTRPLEQKLISEEDLAANDILDYKDDDDKV

Purity > 80% as determined by SDS-PAGE and Coomassie blue staining

Stability Stable for 3 months from receipt of products under proper storage and handling conditions.

Storage Store at -80 centigrade. Avoid repeated freeze-thaw cycles.

Concentration 50 µg/mL as determined by BCA

Storage Buffer 100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION

Gene Name TNFRSF10B TNF receptor superfamily member 10b [*Homo sapiens (human)*]

Official Symbol TNFRSF10B

Synonyms TNFRSF10B; tumor necrosis factor receptor superfamily, member 10b; tumor necrosis factor receptor superfamily member 10B; CD262; DR5; KILLER; TRAIL R2; TRICK2A; TRICKB; Fas-like protein; death receptor 5; cytotoxic TRAIL receptor-2; apoptosis inducing receptor TRAIL-R2; apoptosis inducing protein TRICK2A/2B; TNF-related apoptosis-inducing ligand receptor 2; death domain containing receptor for TRAIL/Apo-2L; tumor necrosis factor receptor-like protein ZTNFR9; p53-regulated DNA damage-inducible cell death receptor(killer); TRICK2; ZTNFR9; TRAILR2; TRICK2B; TRAIL-R2; KILLER/DR5;

Gene ID 8795

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


mRNA Refseq [NM_147187](#)

Protein Refseq [NP_671716](#)

MIM [603612](#)

UniProt ID [O14763](#)

SDS-PAGE



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA