

Recombinant Human TNFRSF10B Protein, Fc-tagged

Cat. No. TNFRSF10B-463H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant human TNFRSF10B protein with Fc tag was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	440
Description	The protein encoded by this gene is a member of the TNF-receptor superfamily, and contains an intracellular death domain. This receptor can be activated by tumor necrosis factor-related apoptosis inducing ligand (TNFSF10/TRAIL/APO-2L), and transduces an apoptosis signal. Studies with FADD-deficient mice suggested that FADD, a death domain containing adaptor protein, is required for the apoptosis mediated by this protein. Two transcript variants encoding different isoforms and one non-coding transcript have been found for this gene.
Form	Lyophilized
Molecular Mass	40.5 kDa
AA Sequence	MEQRGQNAPAASGARKRHGPGPREARGARPGPRVPKTLVLVVAAVLLLVS AESALI TQQLAPQQRAAPQQKRSSPSEGLCPPGHHISEDGRDCISCKYGGDYSTHWNDLL FCLRCTRCDSGEVELSPCTTTRNTVCQCEEGTFREEDSPEMCRKCRTGCPRGMVK VGDCTPWSDIECVHKESGTHKSGEVPVEETVTSSPGTPASPCSLSGIIIGVTVAAVV LIVAVFVCKSLLWKKVLPYLVKIGCSGGGGDPERVDRSSQRPGAEDNVLNEIVSILQPT

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA

QVPEQEMEVQEPAEPTGVNMLSPGESEHLLPEAEAERSQRRRLLVPANEGDPTET
 LRQCFDDFADLVPFDSWEPLMRKLGLMDNEIKVAKAEAAGHRDLYTMLIKWVNKT
 GRDASVHTLLDALETGLGERLAKQKIEDHLLSSGKFMYLEGNADSAMS

Purity > 98%

Applications WB; ELISA; FACS; FC

Stability This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.

Storage At -20 centigrade.

Concentration 1 mg/mL

Storage Buffer PBS (pH 7.4-7.5). Sterile-filtered colorless solution.

Reconstitution Reconstitute in sterile distilled H₂O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.

GENE INFORMATION

Gene Name TNFRSF10B tumor necrosis factor receptor superfamily, member 10b [Homo sapiens (human)]

Official Symbol TNFRSF10B

Synonyms TNFRSF10B; tumor necrosis factor receptor superfamily, member 10b; tumor

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

necrosis factor receptor superfamily member 10B; CD262; DR5; KILLER; TRAIL R2; TRICK2A; TRICKB; Fas-like protein; death receptor 5; cytotoxic TRAIL receptor-2; apoptosis inducing receptor TRAIL-R2; apoptosis inducing protein TRICK2A/2B; TNF-related apoptosis-inducing ligand receptor 2; death domain containing receptor for TRAIL/Apo-2L; tumor necrosis factor receptor-like protein ZTNFR9; p53-regulated DNA damage-inducible cell death receptor(killer); TRICK2; ZTNFR9; TRAILR2; TRICK2B; TRAIL-R2; KILLER/DR5;

Gene ID [8795](#)

mRNA Refseq [NM_003842](#)

Protein Refseq [NP_003833](#)

MIM [603612](#)

UniProt ID [O14763](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA