

Active Recombinant Human TNFRSF10D, Fc-tagged, Biotinylated

Cat. No. TNFRSF10D-562H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	The recombinant human DcR2-Fc fusion is expressed as a 382 amino acid protein consisting of Ala56 - Pro209 region of DcR2 (UniProt accession #Q9UBN6) and a C-terminal Fc from human IgG1, which exists as a dimer under non-reducing conditions.
Species	Human
Source	Human Cells
ProteinLength	56-209 a.a.
Form	Supplied at 0.5 mg/ml in sterile PBS pH7.4 (carrier & preservative free). The purified recombinant protein was labeled with Biotin (3-5 Biotin per molecule).
Bio-activity	Binds to its ligand human TRAIL and inhibits TRAIL-mediated signaling activity including TRAIL--induced cytotoxicity.
Molecular Mass	Calculated molecular mass (kDa): 42.1; Estimated by SDS-PAGE under reducing condition (kDa): 50-60
Endotoxin	<0.1 eu per 1 µg of purified recombinant protein determined by the
Purity	>95% judged by SDS-PAGE under reducing condition
Storage	The product is shipped at 4°C. Upon receipt, centrifuge the product briefly before

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

opening the vial. It is recommended to store small aliquots at the temperature below -20°C for long-term storage and the product is stable for 3 months. The undiluted protein can be stored at 4°C for no more than 2 weeks. Avoid repeated freeze-thaw cycles.

Conjugation Biotin

GENE INFORMATION

Gene Name TNFRSF10D tumor necrosis factor receptor superfamily, member 10d, decoy with truncated death domain [Homo sapiens]

Official Symbol TNFRSF10D

Synonyms TNFRSF10D; tumor necrosis factor receptor superfamily, member 10d, decoy with truncated death domain; tumor necrosis factor receptor superfamily member 10D; CD264; DcR2; TRAILR4; TRUNDD; TRAIL receptor 4; decoy receptor 2; decoy with truncated death domain; TNF receptor-related receptor for TRAIL; TRAIL receptor with a truncated death domain; TNF-related apoptosis-inducing ligand receptor 4; DCR2; TRAIL-R4;

Gene ID 8793

mRNA Refseq NM_003840

Protein Refseq NP_003831

MIM 603614

UniProt ID Q9UBN6

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Chromosome Location	8p21
Pathway	Apoptosis, organism-specific biosystem; Apoptosis, conserved biosystem; Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; Direct p53 effectors, organism-specific biosystem; Influenza A, organism-specific biosystem; Influenza A, conserved biosystem;
Function	TRAIL binding; binding; receptor activity; transmembrane signaling receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA