

Native Human Osteoprotegerin

Cat. No. TNFRSF11B-54H **Lot. No.** (See product label)

SPECIFICATION

Product Overview The recombinant protein is produced in human embryo kidney cells. The cysteine-rich region of human Osteoprotegerin (aa 22-202) is fused to the Fc portion of human IgG1. The chimeric protein has an apparent molecular mass of 61 kDa by SDS-PAGE (reducing conditions).

Species Human

Source HEK293

ProteinLength 22-202 a.a.

Form Lyophilized human Osteoprotegerin, 1 mg/ml in PBS after constitution.

Purity >95% as determined by SDS-PAGE.

Applications Inhibition of TRAIL-mediated apoptosis. The rhOPG:Fc recombinant protein exerts its inhibitory activity in the concentration range of 5-20 µg/ml. (Human Jurkat lymphoma cells (50,000 cells in 100 ul DMEM medium containing 5% fetal calf serum) were incubated with 0.1 µg/ml sTRAIL plus 2 ug/ml enhancer (anti-flag antibody M2) and increasing concentrations of rhOPG:Fc fusion protein in a 96-well plate for 16 hr at 37°C. Concentrations of rhOPG:Fc required to inhibit may vary depending on the cell type studied and on the concentration of sTRAIL used to kill the cells.

Usage For in vitro research use only. Not for use in diagnostics or in humans.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage This product is stable at –20°C for at least 6 months. Once rehydrated it is recommended to prepare appropriate aliquots and to store them at –20°C. Avoid repeated freezing and thawing (activity may decrease).

Warning No warranties, expressed or implied, are made regarding the use of this product. Creative Biomart is not liable for any damage, personal injury, or economic loss caused by this product.

GENE INFORMATION

Gene Name TNFRSF11B tumor necrosis factor receptor superfamily, member 11b [Homo sapiens]

Official Symbol TNFRSF11B

Synonyms TNFRSF11B; tumor necrosis factor receptor superfamily, member 11b; OPG, osteoprotegerin; tumor necrosis factor receptor superfamily member 11B; OCIF; TR1; osteoprotegerin; osteoclastogenesis inhibitory factor; OPG; MGC29565;

Gene ID 4982

mRNA Refseq NM_002546

Protein Refseq NP_002537

MIM 602643

UniProt ID O00300

Chromosome Location 8q24

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Pathway

Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; Monoamine Transport, organism-specific biosystem; Osteoblast Signaling, organism-specific biosystem; Osteoclast Signaling, organism-specific biosystem; Osteoclast differentiation, organism-specific biosystem; Osteoclast differentiation, conserved biosystem;

Function

binding; cytokine activity; receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA