

Recombinant Human TNFRSF12A Protein, Flag-tagged

Cat. No. TNFRSF12A-2125H Lot. No. (See product label)

SPECIFICATION

Product Overview	The TWEAK Human Recombinant is manufactured with N-terminal fusion of 13 amino acid FLAG Tag. The TNFSF12 Flag -Tagged Fusion Protein has a Mw of 18.7kDa containing a total of 169 amino acid residues.
Species	Human
Source	HEK293
Description	TNFSF12 is a cytokine that is part of the TNF ligand family. TNFSF12 is a ligand for the FN14/TWEAKR receptor. TNFSF12 has overlapping signaling functions with TNF, but displays a much wider tissue distribution. TNFSF12 induces apoptosis through multiple pathways of cell death in a cell type-specific manner. TNFSF12 promotes proliferation and migration of endothelial cells, and therefore acts as a regulator of angiogenesis. TNFSF12 is expressed in adult heart, pancreas, skeletal muscle, small intestine, spleen and peripheral blood lymphocytes. TWEAK h induces NFkB and chemokine secretion. TNFSF12 exerts an apoptotic activity in HT-29 human adenocarcinoma cells whilst cultured in the presence of IFN- α . TNFSF12 promotes proliferation and migration of endothelial cells.
Purity	$\geq 90\%$ (SDS-PAGE).
Formulation	Filtered and lyophilized from 0.5mg/ml in 20mM Tris buffer and 50mM NaCl pH-7.5.
Solubility	Add pyrogen free water to a working concentration of 0.5mg/ml and let the lyophilized pellet dissolve completely. Product is not sterile! Please filter the product by an

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

appropriate sterile filter before using it in the cell culture.

Amino Acid Sequence

HVDYKDDDDK PAGESAPKGRK TRARRAIAAH YEVHPRPGQD GAQAGVDGTV
SGWEEARINS SSPLRYNRQI GEFIVTRAGL YYLYCQVHFD EGKAVYLKLD
LLVDGVLALR CLEEFSAATAA SSLGPQLRLC QVSGLLALRP GSSLRIRTLR
WAHLKAAPFL TYFGLFQVH.

Applications

Western blotting.

Stability

Stable for at least six months after receipt when stored at -20°C.

GENE INFORMATION

Gene Name

TNFRSF12A tumor necrosis factor receptor superfamily, member 12A [Homo sapiens]

Synonyms

TNFRSF12A; tumor necrosis factor receptor superfamily, member 12; FN14; CD266; TWEAKR; type I transmembrane protein Fn14; FGF-inducible 14; Fibroblast growth factor-inducible immediate-early response protein 14

Gene ID

51330

mRNA Refseq

NM_016639

Protein Refseq

NP_057723

MIM

605914

UniProt ID

Q9NP84

Chromosome Location

16p13.3

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Pathway	Cytokine-cytokine receptor interaction
----------------	--

Function	protein binding; receptor activity
-----------------	------------------------------------

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA