

Active Recombinant Human TNFRSF17 Protein, Fc-tagged, Alexa Fluor[®] 647 conjugated

Cat. No. TNFRSF17-02H Lot. No. (See product label)

SPECIFICATION

Product Overview Recombinant human Alexa Fluor[®] 647 conjugated BCMA/TNFRSF17 (Met1-Ala54) protein with a human IgG1 (Pro100-Lys330) Fc tag at C-terminus was expressed in mouse myeloma cell line.

Species Human

Source NS0

ProteinLength 1-54 a.a.

Description The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is preferentially expressed in mature B lymphocytes, and may be important for B cell development and autoimmune response. This receptor has been shown to specifically bind to the tumor necrosis factor (ligand) superfamily, member 13b (TNFSF13B/TALL-1/BAFF), and to lead to NF-kappaB and MAPK8/JNK activation. This receptor also binds to various TRAF family members, and thus may transduce signals for cell survival and proliferation.

Form Disulfide-linked homodimer
Labeled with Alexa Fluor[®] 647
Excitation Wavelength: 650 nm
Emission Wavelength: 668 nm

Bio-activity Measured by flow cytometry for its ability to bind anti-Human BCMA/TNFRSF17

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	Monoclonal Antibody conjugated beads. The concentration of Recombinant human BCMA/TNFRSF17 Chimera Alexa Fluor® 647 that produces 50% of the binding response is 0.5-5.0 ng/mL.
Molecular Mass	32 kDa
N-terminal Sequence Analysis	Met1
Endotoxin	<1.0 EU/μg of the protein by the LAL method.
Purity	>95%, by SDS-PAGE visualized with Silver Staining and quantitative densitometry by Coomassie® Blue Staining.
Storage	Protect from light. Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 6 months from date of receipt, -20 to -70 centigrade as supplied. 1 month, 2 to 8 centigrade under sterile conditions after opening. 3 months, -20 to -70 centigrade under sterile conditions after opening.
Storage Buffer	Supplied as a 0.2 μm filtered solution in PBS with BSA as a carrier protein.
Conjugation	Alexa Fluor 647

GENE INFORMATION

Gene Name	TNFRSF17 TNF receptor superfamily member 17 [Homo sapiens (human)]
Official Symbol	TNFRSF17
Synonyms	TNFRSF17; TNF receptor superfamily member 17; BCM; BCMA; CD269;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

TNFRSF13A; tumor necrosis factor receptor superfamily member 17; B cell maturation antigen; B-cell maturation factor; B-cell maturation protein

Gene ID 608


mRNA Refseq [NM_001192](#)

Protein Refseq [NP_001183](#)

MIM 109545

UniProt ID [Q02223](#)

FC




Streptavidin coated beads conjugated to biotinylated anti-Human BCMA/TNFRSF17 Monoclonal Antibody were stained with the indicated concentrations of Recombinant Human BCMA/TNFRSF17 Fc Chimera Alexa Fluor[®] 647.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SDS-PAGE

2 µg/lane of Recombinant Human BCMA/TNFRSF17 Fc Alexa Fluor® 647 Protein was resolved with SDS-PAGE under reducing (R) and non-reducing (NR) conditions and visualized by Coomassie® Blue staining, showing bands at 35-45 kDa and 70-90 kDa, respectively.

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA